



User Guide

This report contains a wide range of useful information about the lung transplant program at Tampa General Hospital (FLTG). The report has three main sections:

- A. Program Summary
- B. Waiting List Information
- C. Transplant Information

The Program Summary is a one-page summary highlighting characteristics of the program, including the number of candidates on the waiting list, the number of transplants performed at the program, the number of patients being cared for by the program, and patient outcomes, including outcomes while on the waiting list (the transplant rate and the death rate while on the waiting list) and outcomes after transplant (patient and graft survival probabilities). If the program performed transplants in both adults and children, survival probabilities for adults and children (pediatrics) are provided separately. For each of the outcomes measures presented, a comparison is provided showing what would be expected at this program if it were performing as similar programs around the country perform when treating similar patients. More details regarding these outcome measures are provided in Sections B and C of the report.

The Waiting List Information section contains more detailed information on how many candidates are on the waiting list at the program, the types of candidates on the waiting list, how long candidates typically have to wait for a transplant at this program, how frequently candidates successfully receive a transplant, and how often candidates on the waiting list die before receiving a transplant.

Table B1 shows the activity on this program's waiting list during two recent 1-year periods and provides comparisons to all programs within this program's OPTN region (see <http://optn.transplant.hrsa.gov/members/regions.asp> for information on OPTN regions) and the nation as a whole. Tables B2 and B3 describe the candidates on the waiting list at this program, with comparisons to candidates waiting in the same donor service area (OPO/DSA) the OPTN region, and the nation as a whole.

Table B4 shows how many candidates were removed from the waiting list because they received a transplant. The program's transplant rate is calculated as the number of candidates who received a transplant divided by the person-years observed at the program (person-years is a combination of how many candidates were on the waiting list along with how long each candidate was followed since some candidates are not on the waiting list for the entire year). The transplant rate and comparisons to what would be expected at this program are presented in Figures B1 and B2. Figure B1 shows the transplant rate compared to what was expected at this program. The expected transplant rate is an estimate of what we would expect at this program if it were performing transplants at rates similar to other programs in the US with similar candidates on their waiting lists. The expected rate is only an estimate, and is made with a certain level of uncertainty. This uncertainty is shown in Figure B2. Figure B2 displays the ratio of the observed to the expected transplant rate. A ratio of 1 indicates that the observed transplant rate was equal to the expected transplant rate, while a ratio less than 1 indicates the observed rate was lower than expected rate and a ratio greater than 1 indicates the observed rate was higher than the expected rate. However, the level of uncertainty must be considered when interpreting these numbers. The 95% interval is also shown on Figure B2. This interval provides a range within which the true ratio of observed to expected transplant rates is likely to be. If this



User Guide

confidence interval includes (crosses) 1.0, then we cannot say that this program's observed transplant rate is different from what would be expected. The observed deceased donor transplant rate at this program was 174.6 per 100 person-years. Transplant rates are also provided for adult and pediatric patients separately along with comparisons to adult and pediatric rates in the DSA, the OPTN region, and the nation. Please refer to the PSR Technical Methods documentation available at <http://www.srtr.org> for more detail regarding how expected rates are calculated.

The death rate (also known as the mortality rate) for candidates on the waiting list is presented in Table B5 and Figures B4-B6. These data are presented in the same way as the transplant rate data in the previous section. The intent of these tables and figures is to describe risk of death once candidates are listed rather than while they are listed. Therefore, time at risk and deaths after removal from the waiting list for reasons other than transplant, transfer to another transplant program, or recovery (no longer needing a transplant), and before any subsequent transplant, are included. As with transplant rates, mortality rates should be interpreted carefully taking into consideration the interval displayed in Figure B5. For a complete description of how observed and expected mortality rates are calculated, please refer to the technical documentation available at <http://www.srtr.org>.

Table B6 presents information on what happens to candidates on the waiting list by three different time points after listing: 6 months, 12 months, and 18 months. The table displays percentages of candidates who have died, been removed from the waiting list, been transplanted, or been transferred or lost-to-follow-up. Tables B7 and B8 provide more detail regarding how many candidates have received a deceased donor transplant by certain time points during the first 3 years after being put on the transplant waiting list. Each row of Tables B7 and B8 presents the percent of candidates who received a deceased donor transplant by each time point. Table B9 presents data on the time it took for different percentages of patients to be transplanted for candidates added to the list between 07/01/2013 and 12/31/2018. The time it took for 5% (the 5th percentile) of patients to receive a transplant at this program was 0.2 months. If "Not Observed" is displayed in the table, then too few candidates received transplants before 06/30/2019 to calculate a particular percentile of transplant times.

Table B10 contains a summary of the offer acceptance practices of the program. The offer acceptance ratio indicates whether the program is more or less likely to accept offers than the average program. If the offer acceptance ratio is greater than 1.0, then the program tends to accept more offers than average; if the offer acceptance ratio is less than 1.0, then the program tends to accept fewer offers than average. Figures B7 shows the distribution of program offer acceptance rates as well as the offer acceptance rate for this program. Figures B8 - B12 similarly show offer acceptance rates for subsets of offers.

The Transplant Information section begins with descriptions of transplant recipients in Tables C1 and C2. Data on recipients of deceased donor transplants are presented (Tables C1D and C2D); if applicable, data on recipients of living donor transplants are presented separately (Tables C1L and C2L). Comparisons to the region and the nation as a whole are provided. A description of the deceased donors used at this program is provided in Table C3D, along with characteristics of living donors in Table C3L, if applicable. Finally, information on the transplant procedure for deceased and living donor transplants is presented in Tables C4D and C4L, respectively.



User Guide

Starting with Table C5, transplant outcomes are presented along with comparisons to what would be expected at this program and what happened in the nation as a whole. Tables C5-C10 present information on graft survival (survival of the transplanted organ), with data presented separately for adult and pediatric recipients. Patients are followed from the time of transplant until either failure of the transplanted organ or death, whichever comes first. Please refer to the technical methods for more information on these calculations (<http://www.srtr.org>).

While Tables C5-C10 present data on graft survival, Tables C11-C16 present information on patient survival. For these tables, patients are followed from the time of transplant until death, regardless of whether the transplant is functioning or the patient required another transplant to survive.

Tables C17 and C18 summarize the multiorgan transplant outcomes at this program. The summary statistics in these tables are descriptive and are not risk-adjusted for different donor and candidate characteristics.

Additional information regarding the technical methods and the risk adjustment models used to estimate expected event rates is available on the SRTR website at <http://www.srtr.org>. We welcome and encourage feedback on these reports. Please feel free to share feedback with the SRTR at the following e-mail: srtr@srtr.org.



Table of Contents

Section	Page
User Guide	i
A. Program Summary	
Program Summary	1
B. Waiting List Information	
Waiting list activity	2
Demographic characteristics of waiting list candidates	3
Medical characteristics of waiting list candidates	4
Deceased donor transplant rates	5
Waiting list mortality rates	6
Waiting list candidate status after listing	7
Percent of candidates with deceased donor transplants: demographic characteristics	8
Percent of candidates with deceased donor transplants: medical characteristics	9
Time to transplant for waiting list candidates	10
Offer acceptance practices	11
C. Transplant Information	
Deceased donor transplant recipient demographic characteristics	13
Deceased donor transplant recipient medical characteristics	14
Deceased donor characteristics	15
Deceased donor transplant characteristics	16
Deceased donor graft survival	17
Deceased donor patient survival	23
Multi-organ transplant graft survival	29
Multi-organ transplant patient survival	29



A. Program Summary

Figure A1. Waiting list and transplant activity





Table A1. Census of transplant recipients

Recipients	07/01/2017-06/30/2018	07/01/2018-06/30/2019
Transplanted at this center	42	39
Followed by this center*	199	216
...transplanted at this program	171	185
...transplanted elsewhere	28	31

* Recipients followed are transplant recipients for whom the center has submitted a post-transplant follow-up form for a transplant that took place before the 12-month interval for each column.

**Figure A2. Transplant rates
07/01/2017 - 06/30/2019**



**Figure A3. Waiting list mortality rates
07/01/2017 - 06/30/2019**




Figure A4. First-year adult graft and patient survival: 07/01/2016 - 12/31/2018




Figure A5. First-year pediatric graft and patient survival: 07/01/2016 - 12/31/2018

This center did not perform any transplants relevant to this figure during 07/01/2016-12/31/2018



B. Waiting List Information

Table B1. Waiting list activity summary: 07/01/2017 - 06/30/2019

Waiting List Registrations	Counts for this center		Activity for 07/01/2018 to 06/30/2019 as percent of registrants on waiting list on 07/01/2018		
	07/01/2017-06/30/2018	07/01/2018-06/30/2019	This Center (%)	OPTN Region (%)	U.S. (%)
On waiting list at start	28	22	100.0	100.0	100.0
Additions					
New listings at this center	47	51	231.8	251.2	213.9
Removals					
Transferred to another center	1	0	0.0	0.0	1.9
Received living donor transplant*	0	0	0.0	0.0	0.0
Received deceased donor transplant*	42	39	177.3	202.5	177.8
Died	4	3	13.6	11.6	10.9
Transplanted at another center	0	0	0.0	2.5	2.3
Deteriorated	2	5	22.7	22.3	11.1
Recovered	3	1	4.5	6.6	2.8
Other reasons	1	2	9.1	11.6	10.1
On waiting list at end of period	22	23	104.5	94.2	97.0

* These patients were removed from waiting list with removal code indicating transplant; this may not equal the number of transplants performed at this center during the specified period.



B. Waiting List Information

Table B2. Demographic characteristics of waiting list candidates**Candidates registered on the waiting list between 07/01/2018 and 06/30/2019**

Demographic Characteristic	New Waiting List Registrations 07/01/2018 to 06/30/2019 (%)			All Waiting List Registrations on 06/30/2019 (%)		
	This Center (N=51)	OPTN Region (N=304)	U.S. (N=3,153)	This Center (N=23)	OPTN Region (N=114)	U.S. (N=1,430)
All (%)	100.0	100.0	100.0	100.0	100.0	100.0
Ethnicity/Race (%)*						
White	78.4	68.8	74.7	91.3	65.8	69.3
African-American	17.6	16.1	10.9	8.7	19.3	13.2
Hispanic/Latino	3.9	13.2	11.2	0.0	13.2	13.2
Asian	0.0	1.6	2.6	0.0	0.9	3.6
Other	0.0	0.3	0.7	0.0	0.9	0.7
Unknown	0.0	0.0	0.0	0.0	0.0	0.0
Age (%)						
<2 years	0.0	0.0	0.2	0.0	0.0	0.4
2-11 years	0.0	0.3	0.6	0.0	0.9	0.9
12-17 years	0.0	1.0	1.2	0.0	1.8	1.1
18-34 years	5.9	6.9	8.3	4.3	4.4	9.1
35-49 years	7.8	14.5	12.1	4.3	14.0	13.9
50-64 years	51.0	45.4	44.2	52.2	57.9	48.5
65-69 years	29.4	23.7	22.3	34.8	18.4	18.9
70+ years	5.9	8.2	11.0	4.3	2.6	7.2
Gender (%)						
Male	51.0	51.0	56.6	21.7	43.0	41.5
Female	49.0	49.0	43.4	78.3	57.0	58.5

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



B. Waiting List Information

Table B3. Medical characteristics of waiting list candidates**Candidates registered on the waiting list between 07/01/2018 and 06/30/2019**

Medical Characteristic	New Waiting List Registrations 07/01/2018 to 06/30/2019 (%)			All Waiting List Registrations on 06/30/2019 (%)		
	This Center (N=51)	OPTN Region (N=304)	U.S. (N=3,153)	This Center (N=23)	OPTN Region (N=114)	U.S. (N=1,430)
All (%)	100.0	100.0	100.0	100.0	100.0	100.0
Blood Type (%)						
O	43.1	47.0	47.2	39.1	49.1	51.0
A	45.1	37.5	37.1	52.2	35.1	34.5
B	5.9	9.5	11.3	4.3	12.3	11.7
AB	5.9	5.9	4.4	4.3	3.5	2.7
Unknown	0.0	0.0	0.0	0.0	0.0	0.0
Previous Transplant (%)						
Yes	3.9	5.9	3.8	4.3	3.5	2.9
No	96.1	94.1	96.2	95.7	96.5	97.1
Unknown	0.0	0.0	0.0	0.0	0.0	0.0
Primary Disease (%)						
Idiopathic Pulmonary Arterial Hypertension	0.0	3.6	6.2	0.0	2.6	8.7
Cystic Fibrosis	7.8	5.6	8.5	4.3	6.1	7.9
Idiopathic Pulmonary Fibrosis	66.7	65.1	61.4	34.8	42.1	44.3
Emphysema/COPD	21.6	24.0	21.2	52.2	41.2	35.5
Other	3.9	1.6	2.6	8.7	7.9	3.7
Missing	0.0	0.0	0.0	0.0	0.0	0.0



B. Waiting List Information

Table B4D. Deceased donor transplant rates: 07/01/2017 - 06/30/2019

Waiting List Registrations	This Center	OPO/DSA	Region	U.S.
All Candidates				
Count on waiting list at start*	28	28	142	1,400
Person Years**	47.0	47.0	245.4	2,865.9
Removals for Transplant	82	82	494	5,144
Adult (18+) Candidates				
Count on waiting list at start*	28	28	140	1,369
Person Years**	47.0	47.0	236.0	2,795.2
Removals for transplant	82	82	484	5,050
Pediatric (<18) Candidates				
Count on waiting list at start*	--	--	--	--
Person Years**	--	--	--	--
Removals for transplant	--	--	--	--

* Counts in this table may be lower than similar counts in other waiting list tables, such as Table B1. A small percentage (~1%) of patients are found to have died or been transplanted before being removed from the waiting list, so these patients are excluded if the event occurs prior to the start of the study period. Inactive time on the waiting list is included in the calculations for this table.

** Person years are calculated as days (converted to fractional years). The number of days from July 1 or from the date of first wait listing until death, transplant, removal from the waiting list or June 30.

Figure B1D. Observed and expected deceased donor transplant rates: 07/01/2017 - 06/30/2019




Figure B2D. Deceased donor transplant rate ratio estimate





Figure B3D. Observed adult (18+) and pediatric (<18) deceased donor transplant rates: 07/01/2017 - 06/30/2019





B. Waiting List Information

Table B5. Waiting list mortality rates: 07/01/2017 - 06/30/2019

Waiting List Registrations	This Center	OPO/DSA	Region	U.S.
All Candidates				
Count on waiting list at start*	28	28	142	1,400
Person Years**	53.3	53.3	294.6	3,249.7
Number of deaths	11	11	63	545
Adult (18+) Candidates				
Count on waiting list at start*	28	28	140	1,369
Person Years**	53.3	53.3	284.9	3,172.9
Number of deaths	11	11	59	530
Pediatric (<18) Candidates				
Count on waiting list at start*	--	--	--	--
Person Years**	--	--	--	--
Number of deaths	--	--	--	--

* Counts in this table may be lower than similar counts in other waiting list tables, such as Table B1. A small percentage (~1%) of patients are found to have died or been transplanted before being removed from the waiting list, so these patients are excluded if the event occurs prior to the start of the study period. Inactive time on the waiting list is included in the calculations for this table.

** Person years are calculated as days (converted to fractional years). The number of days from July 1 or from the date of first wait listing until death, transplant, 60 days after recovery, transfer or June 30.

Figure B4. Observed and expected waiting list mortality rates: 07/01/2017 - 06/30/2019




Figure B5. Waiting list mortality rate ratio estimate





Figure B6. Observed adult (18+) and pediatric (<18) waiting list mortality rates: 07/01/2017 - 06/30/2019





B. Waiting List Information

Table B6. Waiting list candidate status after listing**Candidates registered on waiting list between 01/01/2017 and 12/31/2017**

Waiting list status (survival status)	This Center (N=56)			U.S. (N=3,000)		
	Months Since Listing			Months Since Listing		
	6	12	18	6	12	18
Alive on waiting list (%)	26.8	12.5	8.9	24.3	12.5	7.8
Died on the waiting list without transplant (%)	5.4	5.4	5.4	4.7	5.8	6.2
Removed without transplant (%):						
Condition worsened (status unknown)	1.8	3.6	3.6	3.2	4.0	4.3
Condition improved (status unknown)	0.0	0.0	1.8	0.3	0.5	0.7
Refused transplant (status unknown)	0.0	0.0	0.0	0.2	0.3	0.4
Other	0.0	1.8	1.8	1.2	2.2	2.7
Transplant (living or deceased donor) (%):						
Functioning (alive)	62.5	71.4	51.8	61.2	64.3	44.2
Failed-Retransplanted (alive)	0.0	0.0	0.0	0.1	0.1	0.2
Failed-alive not retransplanted	0.0	0.0	0.0	0.0	0.0	0.1
Died	3.6	3.6	10.7	3.8	6.8	10.3
Status Yet Unknown*	0.0	1.8	16.1	0.7	2.8	22.7
Lost or Transferred (status unknown) (%)	0.0	0.0	0.0	0.3	0.4	0.6
TOTAL (%)	100.0	100.0	100.0	100.0	100.0	100.0
Total % known died on waiting list or after transplant	8.9	8.9	16.1	8.5	12.6	16.4
Total % known died or removed as unstable	10.7	12.5	19.6	11.7	16.7	20.7
Total % removed for transplant	66.1	76.8	78.6	65.8	74.1	77.4
Total % with known functioning transplant (alive)	62.5	71.4	51.8	61.2	64.3	44.2

* Follow-up form covering specified time period not yet completed, and possibly has not become due.



B. Waiting List Information

Table B7. Percent of candidates with deceased donor transplants: demographic characteristics
Candidates registered on the waiting list between 07/01/2013 and 06/30/2016

Characteristic	Percent transplanted at time periods since listing									
	This Center					United States				
	N	30 day	1 year	2 years	3 years	N	30 day	1 year	2 years	3 years
All	155	12.9	56.1	64.5	69.0	7,816	27.0	68.7	74.6	76.7
Ethnicity/Race*										
White	133	12.8	58.6	68.4	72.9	6,235	27.2	69.8	75.9	78.0
African-American	6	16.7	83.3	83.3	83.3	732	24.7	65.7	71.2	73.1
Hispanic/Latino	14	7.1	21.4	21.4	28.6	608	28.5	65.8	70.7	72.4
Asian	0	--	--	--	--	193	21.2	56.0	60.1	61.1
Other	2	50.0	50.0	50.0	50.0	48	31.2	58.3	72.9	77.1
Unknown	0	--	--	--	--	0	--	--	--	--
Age										
<2 years	0	--	--	--	--	26	26.9	61.5	61.5	61.5
2-11 years	0	--	--	--	--	65	4.6	52.3	56.9	60.0
12-17 years	1	0.0	0.0	100.0	100.0	125	20.8	52.8	59.2	59.2
18-34 years	14	14.3	64.3	71.4	78.6	816	24.8	61.9	69.9	72.4
35-49 years	10	20.0	80.0	80.0	80.0	999	23.2	61.3	67.5	70.2
50-64 years	72	11.1	51.4	59.7	68.1	3,674	26.3	69.7	76.2	78.4
65-69 years	33	9.1	54.5	69.7	69.7	1,551	29.7	72.9	77.9	79.2
70+ years	25	20.0	60.0	60.0	60.0	560	37.5	78.8	81.2	82.1
Gender										
Male	88	17.0	76.1	80.7	81.8	4,389	33.0	76.5	80.9	82.0
Female	67	7.5	29.9	43.3	52.2	3,427	19.3	58.6	66.6	69.8

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



B. Waiting List Information

Table B8. Percent of candidates with deceased donor transplants: medical characteristics
Candidates registered on the waiting list between 07/01/2013 and 06/30/2016

Characteristic	N	Percent transplanted at time periods since listing									
		This Center					United States				
		30 day	1 year	2 years	3 years	N	30 day	1 year	2 years	3 years	
All	155	12.9	56.1	64.5	69.0	7,816	27.0	68.7	74.6	76.7	
Blood Type											
O	72	15.3	52.8	63.9	72.2	3,566	27.3	67.5	73.9	76.1	
A	64	9.4	57.8	62.5	62.5	3,025	26.9	69.7	75.5	77.6	
B	16	12.5	68.8	81.2	87.5	917	26.0	69.0	74.6	76.1	
AB	3	33.3	33.3	33.3	33.3	308	27.6	70.8	74.7	75.6	
Previous Transplant											
Yes	12	25.0	58.3	58.3	58.3	355	30.4	66.8	68.5	69.3	
No	143	11.9	55.9	65.0	69.9	7,461	26.8	68.7	74.9	77.0	
Primary Disease											
Congenital Disease	0	--	--	--	--	0	--	--	--	--	
Retransplant/Graft Failure	0	--	--	--	--	0	--	--	--	--	
Idiopathic Pulmonary Arterial Hypertension	3	0.0	33.3	33.3	66.7	357	15.1	48.5	52.9	54.6	
Cystic Fibrosis	13	15.4	61.5	76.9	76.9	889	23.7	64.8	73.1	75.8	
Idiopathic Pulmonary Fibrosis	96	12.5	57.3	64.6	65.6	4,478	32.7	73.2	77.0	78.0	
Alpha-1-Antitrypsin Deficiency	0	--	--	--	--	0	--	--	--	--	
Emphysema/COPD	38	10.5	50.0	60.5	73.7	1,870	17.5	63.7	73.9	78.1	
Other	5	40.0	80.0	80.0	80.0	222	23.9	66.2	73.4	76.6	
Missing	0	--	--	--	--	0	--	--	--	--	



B. Waiting List Information

Table B9. Time to transplant for waiting list candidates*

Candidates registered on the waiting list between 07/01/2013 and 12/31/2018

Percentile	Center	Months to Transplant**		U.S.
		OPO/DSA	Region	
5th	0.2	0.2	0.2	0.2
10th	0.4	0.4	0.3	0.3
25th	1.3	1.3	1.0	0.8
50th (median time to transplant)	4.0	4.0	4.0	3.0
75th	28.5	28.5	32.2	15.1

* If cells contain "Not Observed" fewer than that percentile of patients had received a transplant. For example, the 50th percentile of time to transplant is the time when 50% of candidates have received transplants. If waiting times are long, then the 50th percentile may not be observed during the follow-up period for this table. Also, if more than 50% of candidates are removed from the list due to death or other reasons before receiving transplants, then the 50th percentile of time to transplant will not be observed.

** Censored on 06/30/2019. Calculated as the months after listing, during which the corresponding percent of all patients initially listed had received a transplant.



B. Waiting List Information

Table B10. Offer Acceptance Practices: 07/01/2018 - 06/30/2019

Offers Acceptance Characteristics	This Center	OPO/DSA	Region	U.S.
Overall				
Number of Offers	545	545	5,101	53,221
Number of Acceptances	38	38	241	2,584
Expected Acceptances	35.6	35.6	286.9	2,582.4
Offer Acceptance Ratio*	1.06	1.06	0.84	1.00
95% Credible Interval**	[0.76, 1.42]	--	--	--
PHS increased infectious risk				
Number of Offers	154	154	1,513	14,568
Number of Acceptances	10	10	75	731
Expected Acceptances	9.3	9.3	88.0	730.2
Offer Acceptance Ratio*	1.06	1.06	0.86	1.00
95% Credible Interval**	[0.55, 1.74]	--	--	--
Donor was current smoker				
Number of Offers	36	36	347	4,942
Number of Acceptances	1	1	15	174
Expected Acceptances	1.9	1.9	14.7	174.5
Offer Acceptance Ratio*	0.78	0.78	1.02	1.00
95% Credible Interval**	[0.16, 1.87]	--	--	--
Donor age >= 55				
Number of Offers	71	71	603	9,059
Number of Acceptances	8	8	27	306
Expected Acceptances	2.5	2.5	23.5	307.5
Offer Acceptance Ratio*	2.20	2.20	1.14	1.00
95% Credible Interval**	[1.06, 3.77]	--	--	--
Hard-to-Place Lungs (Over 50 Offers)				
Number of Offers	103	103	1,185	17,680
Number of Acceptances	3	3	13	330
Expected Acceptances	1.6	1.6	21.2	328.4
Offer Acceptance Ratio*	1.38	1.38	0.65	1.00
95% Credible Interval**	[0.45, 2.82]	--	--	--
Donor more than 500 miles away				
Number of Offers	111	111	1,306	10,283
Number of Acceptances	7	7	30	352
Expected Acceptances	3.4	3.4	44.5	332.0
Offer Acceptance Ratio*	1.67	1.67	0.69	1.06
95% Credible Interval**	[0.76, 2.93]	--	--	--

* The offer acceptance ratio estimates the relative offer acceptance practice of Tampa General Hospital (FLTG) compared to the national offer acceptance practice. A ratio above one indicates the program is more likely to accept an offer compared to national offer acceptance practices (e.g., an offer acceptance ratio of 1.25 indicates a 25% more likely to accept an offer), while a ratio below one indicates the program is less likely to accept an offer compared to national offer acceptance practices (e.g., an offer acceptance ratio of 0.75 indicates a 25% less likely to accept an offer).

** As an example, the 95% Credible Interval for the overall offer acceptance ratio, [0.76, 1.42], indicates the location of FLTG's true offer acceptance ratio with 95% probability. The best estimate is 6% more likely to accept an offer compared to national acceptance behavior, but FLTG's performance could plausibly range from 24% reduced acceptance up to 42% higher acceptance.



B. Waiting List Information

Figure B7. Offer acceptance: Overall




Figure B8. Offer acceptance:
PHS increased infectious risk




Figure B9. Offer acceptance:
Donor was current smoker




Figure B10. Offer acceptance: Donor age ≥ 55




Figure B11. Offer acceptance: Offer number > 50





Figure B12. Offer acceptance:
Donor more than 500 miles away





C. Transplant Information

Table C1D. Deceased donor transplant recipient demographic characteristics**Patients transplanted between 07/01/2018 and 06/30/2019**

Characteristic	Percentage in each category		
	Center (N=39)	Region (N=245)	U.S. (N=2,621)
Ethnicity/Race (%)*			
White	76.9	73.5	77.7
African-American	17.9	13.9	9.5
Hispanic/Latino	5.1	11.4	10.0
Asian	0.0	1.2	2.2
Other	0.0	0.0	0.6
Unknown	0.0	0.0	0.0
Age (%)			
<2 years	0.0	0.0	0.1
2-11 years	0.0	0.0	0.3
12-17	0.0	0.4	0.9
18-34	5.1	7.3	8.3
35-49 years	10.3	15.5	11.6
50-64 years	51.3	42.9	44.0
65-69 years	28.2	25.3	22.7
70+ years	5.1	8.6	12.1
Gender (%)			
Male	66.7	51.0	59.4
Female	33.3	49.0	40.6

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



C. Transplant Information

Table C2D. Deceased donor transplant recipient medical characteristics
Patients transplanted between 07/01/2018 and 06/30/2019

Characteristic	Percentage in each category		
	Center (N=39)	Region (N=245)	U.S. (N=2,621)
Blood Type (%)			
O	53.8	46.5	47.9
A	35.9	38.4	36.4
B	7.7	9.4	11.1
AB	2.6	5.7	4.7
Previous Transplant (%)			
Yes	5.1	5.3	3.1
No	94.9	94.7	96.9
Body Mass Index (%)			
0-20	10.3	16.3	17.9
21-25	38.5	35.1	33.8
26-30	41.0	41.6	35.8
31-35	7.7	6.1	11.6
36-40	0.0	0.0	0.5
41+	2.6	0.4	0.1
Unknown	0.0	0.4	0.3
Primary Disease (%)			
Idiopathic Pulmonary Arterial Hypertension	7.7	5.3	5.6
Cystic Fibrosis	5.1	6.9	10.4
Idiopathic Pulmonary Fibrosis	61.5	57.1	58.5
Emphysema/COPD	25.6	29.0	23.0
Other	0.0	1.2	2.4
Missing	0.0	0.0	0.0
Recipient Medical Condition at Transplant (%)			
Not Hospitalized	61.5	76.7	74.6
Hospitalized	17.9	5.7	11.1
ICU	20.5	17.1	14.3
Unknown	0.0	0.4	0.1



C. Transplant Information

Table C3D. Deceased donor characteristics

Transplants performed between 07/01/2018 and 06/30/2019

Donor Characteristic	Percentage in each category		
	Center (N=39)	Region (N=245)	U.S. (N=2,621)
Cause of Death (%)			
Deceased: Stroke	33.3	31.8	28.0
Deceased: MVA	25.6	16.3	15.5
Deceased: Other	41.0	51.8	56.5
Ethnicity/Race (%)*			
White	51.3	54.3	61.4
African-American	12.8	24.9	16.8
Hispanic/Latino	30.8	19.2	17.7
Asian	5.1	1.6	3.1
Other	0.0	0.0	0.9
Not Reported	0.0	0.0	0.0
Age (%)			
<2 years	0.0	0.0	0.2
2-11 years	0.0	0.4	0.8
12-17	5.1	3.7	6.1
18-34	38.5	49.4	44.1
35-49 years	23.1	26.9	28.0
50-64 years	30.8	18.0	19.2
65-69 years	2.6	1.6	1.6
70+ years	0.0	0.0	0.0
Gender (%)			
Male	61.5	56.7	60.4
Female	38.5	43.3	39.6
Blood Type (%)			
O	56.4	49.4	51.7
A	35.9	38.8	34.4
B	7.7	10.2	11.2
AB	0.0	1.6	2.7
Unknown	0.0	0.0	0.0

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



C. Transplant Information

Table C4D. Deceased donor transplant characteristics
Transplants performed between 07/01/2018 and 06/30/2019

Transplant Characteristic	Percentage in each category		
	Center (N=39)	Region (N=245)	U.S. (N=2,621)
Total Ischemic Time (Minutes): Local (%)			
Deceased: 0-90 min	0.0	0.0	0.3
Deceased: 91-180 min	20.0	10.9	10.3
Deceased: 181-270 min	80.0	30.9	33.6
Deceased: 271-360 min	0.0	49.1	35.8
Deceased: 361+ min	0.0	7.3	19.2
Not Reported	0.0	1.8	0.9
Total Ischemic Time (Minutes): Shared (%)			
Deceased: 0-90 min	0.0	0.0	0.3
Deceased: 91-180 min	0.0	0.0	0.6
Deceased: 181-270 min	35.3	22.6	19.6
Deceased: 271-360 min	38.2	36.3	39.4
Deceased: 361+ min	26.5	40.5	39.0
Not Reported	0.0	0.5	1.1
Procedure Type (%)			
Lung alone	97.4	98.8	98.8
Lung and another organ	2.6	1.2	1.2
Sharing (%)			
Local	12.8	22.4	29.3
Shared	87.2	77.6	70.7
Median Time in Hospital After Transplant*	13.0 Days	20.0 Days	18.0 Days

* Multiple organ transplants are excluded from this statistic.



C. Transplant Information

Table C5D. Adult (18+) 1-month survival with a functioning deceased donor graft

Single organ transplants performed between 07/01/2016 and 12/31/2018

Deaths and retransplants are considered graft failures

	FLTG	U.S.
Number of transplants evaluated	117	5,961
Estimated probability of surviving with a functioning graft at 1 month (unadjusted for patient and donor characteristics)	99.15%	97.25%
Expected probability of surviving with a functioning graft at 1 month (adjusted for patient and donor characteristics)	97.19%	--
Number of observed graft failures (including deaths) during the first month after transplant	1	164
Number of expected graft failures (including deaths) during the first month after transplant	3.29	--
Estimated hazard ratio*	0.57	--
95% credible interval for the hazard ratio**	[0.12, 1.37]	--

* The hazard ratio provides an estimate of how Tampa General Hospital (FLTG)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLTG's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.12, 1.37], indicates the location of FLTG's true hazard ratio with 95% probability. The best estimate is 43% lower risk of graft failure compared to an average program, but FLTG's performance could plausibly range from 88% reduced risk up to 37% increased risk.

Figure C1D. Adult (18+) 1-month deceased donor graft failure HR estimate





Figure C2D. Adult (18+) 1-month deceased donor graft failure HR program comparison





C. Transplant Information

Table C6D. Adult (18+) 1-year survival with a functioning deceased donor graft
Single organ transplants performed between 07/01/2016 and 12/31/2018
Deaths and retransplants are considered graft failures

	FLTG	U.S.
Number of transplants evaluated	117	5,961
Estimated probability of surviving with a functioning graft at 1 year (unadjusted for patient and donor characteristics)	92.98%	88.91%
Expected probability of surviving with a functioning graft at 1 year (adjusted for patient and donor characteristics)	88.59%	--
Number of observed graft failures (including deaths) during the first year after transplant	8	607
Number of expected graft failures (including deaths) during the first year after transplant	12.65	--
Estimated hazard ratio*	0.68	--
95% credible interval for the hazard ratio**	[0.33, 1.17]	--

* The hazard ratio provides an estimate of how Tampa General Hospital (FLTG)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLTG's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.33, 1.17], indicates the location of FLTG's true hazard ratio with 95% probability. The best estimate is 32% lower risk of graft failure compared to an average program, but FLTG's performance could plausibly range from 67% reduced risk up to 17% increased risk.

Figure C3D. Adult (18+) 1-year deceased donor graft failure HR estimate





Figure C4D. Adult (18+) 1-year deceased donor graft failure HR program comparison





C. Transplant Information

Table C7D. Adult (18+) 3-year survival with a functioning deceased donor graft
Single organ transplants performed between 01/01/2014 and 06/30/2016
Deaths and retransplants are considered graft failures

	FLTG	U.S.
Number of transplants evaluated	100	5,043
Estimated probability of surviving with a functioning graft at 3 years (unadjusted for patient and donor characteristics)	59.90%	71.41%
Expected probability of surviving with a functioning graft at 3 years (adjusted for patient and donor characteristics)	70.12%	--
Number of observed graft failures (including deaths) during the first 3 years after transplant	33	1,422
Number of expected graft failures (including deaths) during the first 3 years after transplant	23.84	--
Estimated hazard ratio*	1.35	--
95% credible interval for the hazard ratio**	[0.94, 1.84]	--

* The hazard ratio provides an estimate of how Tampa General Hospital (FLTG)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLTG's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.94, 1.84], indicates the location of FLTG's true hazard ratio with 95% probability. The best estimate is 35% higher risk of graft failure compared to an average program, but FLTG's performance could plausibly range from 6% reduced risk up to 84% increased risk.

Figure C5D. Adult (18+) 3-year deceased donor graft failure HR estimate





Figure C6D. Adult (18+) 3-year deceased donor graft failure HR program comparison





C. Transplant Information

Table C8D. Pediatric (<18) 1-month survival with a functioning deceased donor graft
Single organ transplants performed between 07/01/2016 and 12/31/2018
Deaths and retransplants are considered graft failures

This center did not perform any
transplants relevant to
this table during
07/01/2016-12/31/2018

**Figure C7D. Pediatric (<18)
1-month deceased donor graft
failure HR estimate**

This center did not perform any
transplants relevant to
this figure during
07/01/2016-12/31/2018

**Figure C8D. Pediatric (<18) 1-month deceased donor graft
failure HR program comparison**

This center did not perform any
transplants relevant to
this figure during
07/01/2016-12/31/2018



C. Transplant Information

Table C9D. Pediatric (<18) 1-year survival with a functioning deceased donor graft
Single organ transplants performed between 07/01/2016 and 12/31/2018
Deaths and retransplants are considered graft failures

This center did not perform any
transplants relevant to
this table during
07/01/2016-12/31/2018

**Figure C9D. Pediatric (<18)
1-year deceased donor graft
failure HR estimate**

This center did not perform any
transplants relevant to
this figure during
07/01/2016-12/31/2018

**Figure C10D. Pediatric (<18) 1-year deceased donor graft
failure HR program comparison**

This center did not perform any
transplants relevant to
this figure during
07/01/2016-12/31/2018



C. Transplant Information

Table C10D. Pediatric (<18) 3-year survival with a functioning deceased donor graft
Single organ transplants performed between 01/01/2014 and 06/30/2016
Deaths and retransplants are considered graft failures

	FLTG	U.S.
Number of transplants evaluated	1	108
Estimated probability of surviving with a functioning graft at 3 years (unadjusted for patient and donor characteristics)	0.00%	60.82%
Expected probability of surviving with a functioning graft at 3 years (adjusted for patient and donor characteristics)	61.02%	--
Number of observed graft failures (including deaths) during the first 3 years after transplant	1	42
Number of expected graft failures (including deaths) during the first 3 years after transplant	0.11	--
Estimated hazard ratio*	1.42	--
95% credible interval for the hazard ratio**	[0.29, 3.43]	--

* The hazard ratio provides an estimate of how Tampa General Hospital (FLTG)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLTG's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.29, 3.43], indicates the location of FLTG's true hazard ratio with 95% probability. The best estimate is 42% higher risk of graft failure compared to an average program, but FLTG's performance could plausibly range from 71% reduced risk up to 243% increased risk.

Figure C11D. Pediatric (<18) 3-year deceased donor graft failure HR estimate





Figure C12D. Pediatric (<18) 3-year deceased donor graft failure HR program comparison





C. Transplant Information

Table C11D. Adult (18+) 1-month patient survival (deceased donor graft recipients)

Single organ transplants performed between 07/01/2016 and 12/31/2018

Retransplants excluded

	FLTG	U.S.
Number of transplants evaluated	110	5,789
Estimated probability of surviving at 1 month (unadjusted for patient and donor characteristics)	99.09%	97.67%
Expected probability of surviving at 1 month (adjusted for patient and donor characteristics)	97.62%	--
Number of observed deaths during the first month after transplant	1	135
Number of expected deaths during the first month after transplant	2.61	--
Estimated hazard ratio*	0.65	--
95% credible interval for the hazard ratio**	[0.13, 1.57]	--

* The hazard ratio provides an estimate of how Tampa General Hospital (FLTG)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLTG's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.13, 1.57], indicates the location of FLTG's true hazard ratio with 95% probability. The best estimate is 35% lower risk of patient death compared to an average program, but FLTG's performance could plausibly range from 87% reduced risk up to 57% increased risk.

Figure C13D. Adult (18+) 1-month patient death HR estimate (deceased donor grafts)





Figure C14D. Adult (18+) 1-month patient death HR program comparison (deceased donor grafts)





C. Transplant Information

Table C12D. Adult (18+) 1-year patient survival (deceased donor graft recipients)

Single organ transplants performed between 07/01/2016 and 12/31/2018

Retransplants excluded

	FLTG	U.S.
Number of transplants evaluated	110	5,789
Estimated probability of surviving at 1 year (unadjusted for patient and donor characteristics)	94.38%	89.39%
Expected probability of surviving at 1 year (adjusted for patient and donor characteristics)	89.12%	--
Number of observed deaths during the first year after transplant	6	564
Number of expected deaths during the first year after transplant	11.43	--
Estimated hazard ratio*	0.60	--
95% credible interval for the hazard ratio**	[0.26, 1.07]	--

* The hazard ratio provides an estimate of how Tampa General Hospital (FLTG)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLTG's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.26, 1.07], indicates the location of FLTG's true hazard ratio with 95% probability. The best estimate is 40% lower risk of patient death compared to an average program, but FLTG's performance could plausibly range from 74% reduced risk up to 7% increased risk.

Figure C15D. Adult (18+) 1-year patient death HR estimate (deceased donor grafts)





Figure C16D. Adult (18+) 1-year patient death HR program comparison (deceased donor grafts)





C. Transplant Information

Table C13D. Adult (18+) 3-year patient survival (deceased donor graft recipients)

Single organ transplants performed between 01/01/2014 and 06/30/2016

Retransplants excluded

	FLTG	U.S.
Number of transplants evaluated	93	4,856
Estimated probability of surviving at 3 years (unadjusted for patient and donor characteristics)	64.52%	73.33%
Expected probability of surviving at 3 years (adjusted for patient and donor characteristics)	72.90%	--
Number of observed deaths during the first 3 years after transplant	33	1,295
Number of expected deaths during the first 3 years after transplant	23.93	--
Estimated hazard ratio*	1.35	--
95% credible interval for the hazard ratio**	[0.94, 1.83]	--

* The hazard ratio provides an estimate of how Tampa General Hospital (FLTG)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLTG's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.94, 1.83], indicates the location of FLTG's true hazard ratio with 95% probability. The best estimate is 35% higher risk of patient death compared to an average program, but FLTG's performance could plausibly range from 6% reduced risk up to 83% increased risk.

Figure C17D. Adult (18+) 3-year patient death HR estimate (deceased donor grafts)





Figure C18D. Adult (18+) 3-year patient death HR program comparison (deceased donor grafts)





C. Transplant Information

Table C14D. Pediatric (<18) 1-month patient survival (deceased donor graft recipients)
Single organ transplants performed between 07/01/2016 and 12/31/2018
Retransplants excluded

This center did not perform any
transplants relevant to
this table during
07/01/2016-12/31/2018

Figure C19D. Pediatric (<18)
1-month patient death HR
estimate (deceased donor grafts)

This center did not perform any
transplants relevant to
this figure during
07/01/2016-12/31/2018

Figure C20D. Pediatric (<18) 1-month patient death HR
program comparison (deceased donor grafts)

This center did not perform any
transplants relevant to
this figure during
07/01/2016-12/31/2018



C. Transplant Information

Table C15D. Pediatric (<18) 1-year patient survival (deceased donor graft recipients)
Single organ transplants performed between 07/01/2016 and 12/31/2018
Retransplants excluded

This center did not perform any
transplants relevant to
this table during
07/01/2016-12/31/2018

**Figure C21D. Pediatric (<18)
1-year patient death HR estimate
(deceased donor grafts)**

This center did not perform any
transplants relevant to
this figure during
07/01/2016-12/31/2018

**Figure C22D. Pediatric (<18) 1-year patient death HR program
comparison (deceased donor grafts)**

This center did not perform any
transplants relevant to
this figure during
07/01/2016-12/31/2018



C. Transplant Information

Table C16D. Pediatric (<18) 3-year patient survival (deceased donor graft recipients)

Single organ transplants performed between 01/01/2014 and 06/30/2016

Retransplants excluded

	FLTG	U.S.
Number of transplants evaluated	1	100
Estimated probability of surviving at 3 years (unadjusted for patient and donor characteristics)	0.00%	61.00%
Expected probability of surviving at 3 years (adjusted for patient and donor characteristics)	61.20%	--
Number of observed deaths during the first 3 years after transplant	1	39
Number of expected deaths during the first 3 years after transplant	0.14	--
Estimated hazard ratio*	1.40	--
95% credible interval for the hazard ratio**	[0.29, 3.38]	--

* The hazard ratio provides an estimate of how Tampa General Hospital (FLTG)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLTG's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.29, 3.38], indicates the location of FLTG's true hazard ratio with 95% probability. The best estimate is 40% higher risk of patient death compared to an average program, but FLTG's performance could plausibly range from 71% reduced risk up to 238% increased risk.

Figure C23D. Pediatric (<18) 3-year patient death HR estimate (deceased donor grafts)





Figure C24D. Pediatric (<18) 3-year patient death HR program comparison (deceased donor grafts)





C. Transplant Information

Table C17. Multi-organ transplant graft survival: 07/01/2016 - 12/31/2018

Adult (18+) Transplants

First-Year Outcomes

Transplant Type	Transplants Performed		Lung Graft Failures		Estimated Lung Graft Survival	
	FLTG-TX1	USA	FLTG-TX1	USA	FLTG-TX1	USA
Kidney Lung	1	18	1	3	0.0%	83.3%

Pediatric (<18) Transplants

No pediatric (<18) multi-organ transplants were performed

Table C18. Multi-organ transplant patient survival: 07/01/2016 - 12/31/2018

Adult (18+) Transplants

First-Year Outcomes

Transplant Type	Transplants Performed		Patient Deaths		Estimated Patient Survival	
	FLTG-TX1	USA	FLTG-TX1	USA	FLTG-TX1	USA
Kidney Lung	1	18	1	3	0.0%	83.3%

Pediatric (<18) Transplants

No pediatric (<18) multi-organ transplants were performed