



User Guide

This report contains a wide range of useful information about the kidney transplant program at Mayo Clinic Florida (FLSL). The report has three main sections:

- A. Program Summary
- B. Waiting List Information
- C. Transplant Information

The Program Summary is a one-page summary highlighting characteristics of the program, including the number of candidates on the waiting list, the number of transplants performed at the program, the number of patients being cared for by the program, and patient outcomes, including outcomes while on the waiting list (the transplant rate and the death rate while on the waiting list) and outcomes after transplant (patient and graft survival probabilities). If the program performed transplants in both adults and children, survival probabilities for adults and children (pediatrics) are provided separately. For each of the outcomes measures presented, a comparison is provided showing what would be expected at this program if it were performing as similar programs around the country perform when treating similar patients. More details regarding these outcome measures are provided in Sections B and C of the report.

The Waiting List Information section contains more detailed information on how many candidates are on the waiting list at the program, the types of candidates on the waiting list, how long candidates typically have to wait for a transplant at this program, how frequently candidates successfully receive a transplant, and how often candidates on the waiting list die before receiving a transplant.

Table B1 shows the activity on this program's waiting list during two recent 1-year periods and provides comparisons to all programs within this program's OPTN region (see <http://optn.transplant.hrsa.gov/members/regions.asp> for information on OPTN regions) and the nation as a whole. Tables B2 and B3 describe the candidates on the waiting list at this program, with comparisons to candidates waiting in the same donor service area (OPO/DSA) the OPTN region, and the nation as a whole.

Table B4 shows how many candidates were removed from the waiting list because they received a transplant. The program's transplant rate is calculated as the number of candidates who received a transplant divided by the person-years observed at the program (person-years is a combination of how many candidates were on the waiting list along with how long each candidate was followed since some candidates are not on the waiting list for the entire year). The transplant rate and comparisons to what would be expected at this program are presented in Figures B1 and B2. Figure B1 shows the transplant rate compared to what was expected at this program. The expected transplant rate is an estimate of what we would expect at this program if it were performing transplants at rates similar to other programs in the US with similar candidates on their waiting lists. The expected rate is only an estimate, and is made with a certain level of uncertainty. This uncertainty is shown in Figure B2. Figure B2 displays the ratio of the observed to the expected transplant rate. A ratio of 1 indicates that the observed transplant rate was equal to the expected transplant rate, while a ratio less than 1 indicates the observed rate was lower than expected rate and a ratio greater than 1 indicates the observed rate was higher than the expected rate. However, the level of uncertainty must be considered when interpreting these numbers. The 95% interval is also shown on Figure B2. This interval provides a range within which the true ratio of observed to expected transplant rates is likely to be. If this



User Guide

confidence interval includes (crosses) 1.0, then we cannot say that this program's observed transplant rate is different from what would be expected. The observed transplant rate at this program was 22.7 per 100 person-years. Transplant rates are also provided for adult and pediatric patients separately along with comparisons to adult and pediatric rates in the DSA, the OPTN region, and the nation. Transplant rates are also presented excluding transplants from a living donor (Table B4D and Figures B1D-B3D). Please refer to the PSR Technical Methods documentation available at <http://www.srtr.org> for more detail regarding how expected rates are calculated.

The death rate (also known as the mortality rate) for candidates on the waiting list is presented in Table B5 and Figures B4-B6. These data are presented in the same way as the transplant rate data in the previous section. The intent of this table and figures is to describe risk of death once candidates are listed rather than while they are listed, but before they are transplanted. Therefore, time at risk and deaths after removal from the waiting list for reasons other than transplant, transfer to another transplant program, or recovery (no longer needing a transplant), and before any subsequent transplant, are included. As with transplant rates, mortality rates should be interpreted carefully taking into consideration the interval displayed in Figure B5. For a complete description of how observed and expected mortality rates are calculated, please refer to the technical documentation available at <http://www.srtr.org>.

Survival from listing is presented in Table B6 and Figures B7-B9. These data are presented in the same way as the waiting list mortality rate data in the previous section. The intent of this table and figures is to describe risk of death once candidates are listed rather than while they are listed, including after a transplant. As with transplant rates, mortality rates should be interpreted carefully taking into consideration the interval displayed in Figure B8. For a complete description of how observed and expected mortality rates are calculated, please refer to the technical documentation available at <http://www.srtr.org>.

Table B7 presents information on what happens to candidates on the waiting list by three different time points after listing: 6 months, 12 months, and 18 months. The table displays percentages of candidates who have died, been removed from the waiting list, been transplanted, or been transferred or lost-to-follow-up. Tables B8 and B9 provide more detail regarding how many candidates have received a deceased donor transplant by certain time points during the first 3 years after being put on the transplant waiting list. Each row of Tables B8 and B9 presents the percent of candidates who received a deceased donor transplant by each time point. Table B10 presents data on the time it took for different percentages of patients to be transplanted for candidates added to the list between 01/01/2014 and 06/30/2019. The time it took for 5% (the 5th percentile) of patients to receive a transplant at this program was 1.5 months. If "Not Observed" is displayed in the table, then too few candidates received transplants before 12/31/2019 to calculate a particular percentile of transplant times.

Table B11 contains a summary of the offer acceptance practices of the program. The offer acceptance ratio indicates whether the program is more or less likely to accept offers than the average program. If the offer acceptance ratio is greater than 1.0, then the program tends to accept more offers than average; if the offer acceptance ratio is less than 1.0, then the program tends to accept fewer offers than average. Figure B10 shows the distribution of program offer acceptance rates as well as the offer acceptance rate for this program. Figures B11 - B14 similarly show offer acceptance rates for subsets



User Guide

of offers.

The Transplant Information section begins with descriptions of transplant recipients in Tables C1 and C2. Data on recipients of deceased donor transplants are presented (Tables C1D and C2D); if applicable, data on recipients of living donor transplants are presented separately (Tables C1L and C2L). Comparisons to the region and the nation as a whole are provided. A description of the deceased donors used at this program is provided in Table C3D, along with characteristics of living donors in Table C3L, if applicable. Finally, information on the transplant procedure for deceased and living donor transplants is presented in Tables C4D and C4L, respectively.

Starting with Table C5, transplant outcomes are presented along with comparisons to what would be expected at this program and what happened in the nation as a whole. Tables C5-C10 present information on graft survival (survival of the transplanted organ), with data presented separately for adult and pediatric recipients. Patients are followed from the time of transplant until either failure of the transplanted organ or death, whichever comes first. Please refer to the technical methods for more information on these calculations (<http://www.srtr.org>).

While Tables C5-C10 present data on graft survival, Tables C11-C16 present information on patient survival. For these tables, patients are followed from the time of transplant until death, regardless of whether the transplant is functioning or the patient required another transplant to survive.

Tables C17 and C18 summarize the multiorgan transplant outcomes at this program. The summary statistics in these tables are descriptive and are not risk-adjusted for different donor and candidate characteristics.

Table D1 shows the rates of follow-up for living donors.

Additional information regarding the technical methods and the risk adjustment models used to estimate expected event rates is available on the SRTR website at <http://www.srtr.org>. We welcome and encourage feedback on these reports. Please feel free to share feedback with the SRTR at the following e-mail: srtr@srtr.org.



Table of Contents

Section	Page
User Guide	i
A. Program Summary	
Program Summary	1
B. Waiting List Information	
Waiting list activity	2
Demographic characteristics of waiting list candidates	3
Medical characteristics of waiting list candidates	4
Transplant rates	5
Deceased donor transplant rates	6
Waiting list mortality rates	7
Patient survival from listing	8
Waiting list candidate status after listing	9
Percent of candidates with deceased donor transplants: demographic characteristics	10
Percent of candidates with deceased donor transplants: medical characteristics	11
Time to transplant for waiting list candidates	12
Offer acceptance practices	13
C. Transplant Information	
Deceased donor transplant recipient demographic characteristics	15
Living donor transplant recipient demographic characteristics	16
Deceased donor transplant recipient medical characteristics	17
Living donor transplant recipient medical characteristics	18
Deceased donor characteristics	19
Living donor characteristics	20
Deceased donor transplant characteristics	21
Living donor transplant characteristics	22
Graft survival	23
Patient survival	41
Multi-organ transplant graft survival	59
Multi-organ transplant patient survival	59
D. Living Donor Information	
Living donor follow-up summary	60



A. Program Summary

Figure A1. Waiting list and transplant activity




Table A1. Census of transplant recipients

Recipients	01/01/2018-12/31/2018	01/01/2019-12/31/2019
Transplanted at this center	157	183
Followed by this center*	956	1,017
...transplanted at this program	945	1,008
...transplanted elsewhere	11	9

* Recipients followed are transplant recipients for whom the center has submitted a post-transplant follow-up form for a transplant that took place before the 12-month interval for each column.

Figure A2. Transplant rates
01/01/2018 - 12/31/2019




Figure A3. Waiting list mortality rates
01/01/2018 - 12/31/2019




Figure A4. First-year adult graft and patient survival: 01/01/2017 - 06/30/2019




Figure A5. First-year pediatric graft and patient survival: 01/01/2017 - 06/30/2019

This center did not perform any transplants relevant to this figure during 01/01/2017-06/30/2019



B. Waiting List Information

Table B1. Waiting list activity summary: 01/01/2018 - 12/31/2019

Waiting List Registrations	Counts for this center		Activity for 01/01/2019 to 12/31/2019 as percent of registrants on waiting list on 01/01/2019		
	01/01/2018-12/31/2018	01/01/2019-12/31/2019	This Center (%)	OPTN Region (%)	U.S. (%)
On waiting list at start	705	735	100.0	100.0	100.0
Additions					
New listings at this center	321	422	57.4	41.8	42.2
Removals					
Transferred to another center	1	3	0.4	0.6	1.4
Received living donor transplant*	54	63	8.6	5.5	6.7
Received deceased donor transplant*	103	120	16.3	17.4	16.3
Died	27	29	3.9	3.8	3.8
Transplanted at another center	37	38	5.2	4.7	3.9
Deteriorated	30	30	4.1	4.1	4.2
Recovered	3	1	0.1	0.1	0.2
Other reasons	36	45	6.1	9.5	5.4
On waiting list at end of period	735	828	112.7	96.0	100.2

* These patients were removed from waiting list with removal code indicating transplant; this may not equal the number of transplants performed at this center during the specified period.



B. Waiting List Information

Table B2. Demographic characteristics of waiting list candidates**Candidates registered on the waiting list between 01/01/2019 and 12/31/2019**

Demographic Characteristic	New Waiting List Registrations 01/01/2019 to 12/31/2019 (%)			All Waiting List Registrations on 12/31/2019 (%)		
	This Center (N=422)	OPTN Region (N=5,982)	U.S. (N=42,665)	This Center (N=828)	OPTN Region (N=13,733)	U.S. (N=101,433)
All (%)	100.0	100.0	100.0	100.0	100.0	100.0
Ethnicity/Race (%)*						
White	50.0	34.6	42.0	43.0	28.4	35.3
African-American	41.0	47.0	29.0	48.1	56.5	32.2
Hispanic/Latino	4.7	14.2	19.1	4.3	11.3	20.9
Asian	3.8	3.2	8.0	4.3	3.1	9.8
Other	0.5	0.9	1.9	0.2	0.6	1.8
Unknown	0.0	0.0	0.0	0.0	0.0	0.0
Age (%)						
<2 years	0.0	0.0	0.1	0.0	0.0	0.1
2-11 years	0.0	0.7	0.9	0.0	0.4	0.5
12-17 years	0.0	1.2	1.4	0.0	0.6	0.9
18-34 years	10.7	10.6	10.8	8.7	11.0	10.5
35-49 years	21.6	27.0	24.6	24.3	30.4	27.3
50-64 years	39.1	40.8	41.0	40.9	41.4	43.4
65-69 years	16.6	11.7	13.3	15.0	10.6	12.0
70+ years	12.1	8.0	7.9	11.1	5.6	5.4
Gender (%)						
Male	61.6	60.8	61.8	62.6	60.2	62.0
Female	38.4	39.2	38.2	37.4	39.8	38.0

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



B. Waiting List Information

Table B3. Medical characteristics of waiting list candidates

Candidates registered on the waiting list between 01/01/2019 and 12/31/2019

Medical Characteristic	New Waiting List Registrations 01/01/2019 to 12/31/2019 (%)			All Waiting List Registrations on 12/31/2019 (%)		
	This Center (N=422)	OPTN Region (N=5,982)	U.S. (N=42,665)	This Center (N=828)	OPTN Region (N=13,733)	U.S. (N=101,433)
All (%)	100.0	100.0	100.0	100.0	100.0	100.0
Blood Type (%)						
O	47.6	49.9	49.1	51.8	53.1	53.6
A	33.4	30.5	32.3	25.7	25.5	27.3
B	16.6	16.0	14.8	21.1	19.2	16.6
AB	2.4	3.7	3.8	1.3	2.2	2.5
Unknown	0.0	0.0	0.0	0.0	0.0	0.0
Previous Transplant (%)						
Yes	12.6	11.5	12.7	13.9	13.2	13.6
No	87.4	88.5	87.3	86.1	86.8	86.4
Unknown	0.0	0.0	0.0	0.0	0.0	0.0
Initial CPRA (%)						
0-9%	65.2	79.0	79.9	66.2	79.1	80.2
10-79%	23.9	12.6	12.8	23.6	11.9	12.5
80+%	10.9	8.4	7.2	10.3	8.8	7.2
Unknown	0.0	0.0	0.1	0.0	0.2	0.1
Primary Disease (%)*						
Glomerular Diseases	23.7	19.5	19.2	21.3	19.0	19.0
Tubular and Interstitial Diseases	2.8	3.2	3.9	2.5	2.8	3.6
Polycystic Kidneys	9.5	7.6	7.5	8.3	7.1	6.8
Congenital, Familial, Metabolic	1.4	1.2	2.0	1.1	1.3	1.7
Diabetes	35.5	35.3	35.2	34.4	34.4	36.8
Renovascular & Vascular Diseases	0.5	0.2	0.2	0.2	0.2	0.2
Neoplasms	0.2	0.3	0.4	0.1	0.3	0.3
Hypertensive Nephrosclerosis	19.0	24.1	19.7	20.4	28.6	21.4
Other	7.3	8.2	11.5	11.5	6.1	9.8
Missing*	0.0	0.4	0.4	0.1	0.3	0.4

* When "retransplant" is indicated, the primary disease is passed forward from the prior transplant in order to indicate the initial primary disease causing organ failure. "Missing" may include some patients for whom retransplant is indicated but no prior diagnosis can be found.



B. Waiting List Information

Table B4. Transplant rates: 01/01/2018 - 12/31/2019

Waiting List Registrations	This Center	OPO/DSA	Region	U.S.
All Candidates				
Count on waiting list at start*	705	1,288	14,697	101,257
Person Years**	1,499.5	2,858.3	28,405.8	201,966.5
Removals for Transplant	340	506	6,101	44,378
Adult (18+) Candidates				
Count on waiting list at start*	705	1,258	14,537	99,726
Person Years**	1,499.5	2,804.1	28,102.4	198,864.5
Removals for transplant	340	486	5,883	42,635
Pediatric (<18) Candidates				
Count on waiting list at start*	--	--	--	--
Person Years**	--	--	--	--
Removals for transplant	--	--	--	--

* Counts in this table may be lower than similar counts in other waiting list tables, such as Table B1. A small percentage (~1%) of patients are found to have died or been transplanted before being removed from the waiting list, so these patients are excluded if the event occurs prior to the start of the study period. Inactive time on the waiting list is included in the calculations for this table.

** Person years are calculated as days (converted to fractional years). The number of days from January 1 or from the date of first wait listing until death, transplant, removal from the waiting list or December 31.

Figure B1. Observed and expected transplant rates: 01/01/2018 - 12/31/2019




Figure B2. Transplant rate ratio estimate





Figure B3. Observed adult (18+) and pediatric (<18) transplant rates: 01/01/2018 - 12/31/2019





B. Waiting List Information

Table B4D. Deceased donor transplant rates: 01/01/2018 - 12/31/2019

Waiting List Registrations	This Center	OPO/DSA	Region	U.S.
All Candidates				
Count on waiting list at start*	705	1,288	14,697	101,257
Person Years**	1,499.5	2,858.3	28,405.8	201,966.5
Removals for Transplant	223	359	4,622	31,199
Adult (18+) Candidates				
Count on waiting list at start*	705	1,258	14,537	99,726
Person Years**	1,499.5	2,804.1	28,102.4	198,864.5
Removals for transplant	223	343	4,460	30,015
Pediatric (<18) Candidates				
Count on waiting list at start*	--	--	--	--
Person Years**	--	--	--	--
Removals for transplant	--	--	--	--

* Counts in this table may be lower than similar counts in other waiting list tables, such as Table B1. A small percentage (~1%) of patients are found to have died or been transplanted before being removed from the waiting list, so these patients are excluded if the event occurs prior to the start of the study period. Inactive time on the waiting list is included in the calculations for this table.

** Person years are calculated as days (converted to fractional years). The number of days from January 1 or from the date of first wait listing until death, transplant, removal from the waiting list or December 31.

Figure B1D. Observed and expected deceased donor transplant rates: 01/01/2018 - 12/31/2019




Figure B2D. Deceased donor transplant rate ratio estimate





Figure B3D. Observed adult (18+) and pediatric (<18) deceased donor transplant rates: 01/01/2018 - 12/31/2019





B. Waiting List Information

Table B5. Waiting list mortality rates: 01/01/2018 - 12/31/2019

Waiting List Registrations	This Center	OPO/DSA	Region	U.S.
All Candidates				
Count on waiting list at start*	705	1,288	14,697	101,257
Person Years**	1,617.0	3,107.3	31,863.3	220,145.1
Number of deaths	84	142	1,743	10,726
Adult (18+) Candidates				
Count on waiting list at start*	705	1,258	14,537	99,726
Person Years**	1,617.0	3,047.7	31,542.6	216,935.0
Number of deaths	84	142	1,737	10,685
Pediatric (<18) Candidates				
Count on waiting list at start*	--	--	--	--
Person Years**	--	--	--	--
Number of deaths	--	--	--	--

* Counts in this table may be lower than similar counts in other waiting list tables, such as Table B1. A small percentage (~1%) of patients are found to have died or been transplanted before being removed from the waiting list, so these patients are excluded if the event occurs prior to the start of the study period. Inactive time on the waiting list is included in the calculations for this table.

** Person years are calculated as days (converted to fractional years). The number of days from January 1 or from the date of first wait listing until death, transplant, 60 days after recovery, transfer or December 31.

Figure B4. Observed and expected waiting list mortality rates: 01/01/2018 - 12/31/2019




Figure B5. Waiting list mortality rate ratio estimate





Figure B6. Observed adult (18+) and pediatric (<18) waiting list mortality rates: 01/01/2018 - 12/31/2019





B. Waiting List Information

Table B6. Rates of patient mortality after listing: 01/01/2018 - 12/31/2019

Waiting List Registrations	This Center	OPO/DSA	Region	U.S.
All Patients				
Count at risk during the evaluation period	2,467	4,450	41,263	296,874
Person-years*	3,557.2	6,470.4	61,962.6	443,039.1
Number of Deaths	196	306	2,840	18,853
Adult (18+) Patients				
Count at risk during the evaluation period	2,467	4,332	40,158	288,141
Person-years*	3,557.2	6,276.8	60,193.6	429,477.3
Number of Deaths	196	304	2,829	18,776
Pediatric (<18) Patients				
Count at risk during the evaluation period	0	118	1,105	8,733
Person-years*	0.0	193.7	1,769.0	13,561.8
Number of Deaths	0	2	11	77

* Person-years are calculated as days (converted to fractional years). The number of days from 01/01/2018, or from the date of first wait listing until death, reaching 7 years after listing or December 31, 2019.

** Patient mortality after listing describes the relative survival experience of patients after listing. It depends on many factors, some of which are outside of the control of the transplant program. For example, availability of organs may not be the same in every part of the country.

Figure B7. Observed and expected rates of patient mortality after listing: 01/01/2018 - 12/31/2019




Figure B8. HR estimate of patient mortality after listing





Figure B9. Observed adult (18+) and pediatric (<18) rates of patient mortality after listing: 01/01/2018 - 12/31/2019





B. Waiting List Information

Table B7. Waiting list candidate status after listing
Candidates registered on waiting list between 07/01/2017 and 06/30/2018

Waiting list status (survival status)	This Center (N=290)			U.S. (N=37,827)		
	Months Since Listing			Months Since Listing		
	6	12	18	6	12	18
Alive on waiting list (%)	81.4	65.5	54.1	77.3	64.3	54.4
Died on the waiting list without transplant (%)	1.4	3.4	4.5	1.1	2.0	2.8
Removed without transplant (%):						
Condition worsened (status unknown)	0.3	1.4	2.1	0.6	1.5	2.3
Condition improved (status unknown)	0.7	0.7	0.7	0.1	0.2	0.2
Refused transplant (status unknown)	0.0	0.0	0.0	0.1	0.1	0.2
Other	0.7	1.0	2.4	0.8	1.6	2.6
Transplant (living donor from waiting list only) (%):						
Functioning (alive)	4.5	8.3	8.3	6.9	10.5	9.5
Failed-Retransplanted (alive)	0.0	0.0	0.0	0.0	0.0	0.0
Failed-alive not retransplanted	0.0	0.0	0.0	0.0	0.0	0.0
Died	0.0	0.0	0.0	0.0	0.1	0.1
Status Yet Unknown**	0.0	0.0	2.8	0.1	0.4	3.5
Transplant (deceased donor) (%):						
Functioning (alive)	9.0	14.8	14.5	10.8	14.7	13.1
Failed-Retransplanted (alive)	0.0	0.0	0.0	0.0	0.0	0.0
Failed-alive not retransplanted	0.0	0.0	0.3	0.0	0.1	0.1
Died	0.0	0.0	0.0	0.2	0.4	0.6
Status Yet Unknown*	2.1	4.5	10.0	1.7	3.5	9.3
Lost or Transferred (status unknown) (%)	0.0	0.3	0.3	0.3	0.7	1.2
TOTAL (%)	100.0	100.0	100.0	100.0	100.0	100.0
Total % known died on waiting list or after transplant	1.4	3.4	4.5	1.3	2.4	3.6
Total % known died or removed as unstable	1.7	4.8	6.6	1.9	4.0	5.9
Total % removed for transplant	15.5	27.6	35.9	19.7	29.6	36.2
Total % with known functioning transplant (alive)	13.4	23.1	22.8	17.7	25.2	22.6

* Follow-up form covering specified time period not yet completed, and possibly has not become due.



B. Waiting List Information

Table B8. Percent of candidates with deceased donor transplants: demographic characteristics
Candidates registered on the waiting list between 01/01/2014 and 12/31/2016

Characteristic	Percent transplanted at time periods since listing									
	This Center					United States				
	N	30 day	1 year	2 years	3 years	N	30 day	1 year	2 years	3 years
All	710	3.4	17.7	25.2	31.3	93,944	3.2	14.8	21.4	26.6
Ethnicity/Race*										
White	361	4.4	23.0	30.5	36.0	37,623	3.6	15.9	22.6	27.6
African-American	288	1.7	12.5	20.5	26.7	29,876	2.9	14.5	21.1	26.4
Hispanic/Latino	23	8.7	21.7	26.1	26.1	17,287	3.3	14.5	21.0	26.4
Asian	35	0.0	2.9	8.6	20.0	7,615	1.9	10.6	17.2	22.7
Other	3	33.3	33.3	33.3	66.7	1,543	3.4	18.0	24.2	29.9
Unknown	0	--	--	--	--	0	--	--	--	--
Age										
<2 years	0	--	--	--	--	133	5.3	33.1	50.4	63.9
2-11 years	0	--	--	--	--	840	7.9	48.6	63.0	70.8
12-17 years	0	--	--	--	--	1,395	7.5	49.6	62.0	67.7
18-34 years	68	0.0	17.6	29.4	38.2	9,573	2.9	15.8	24.3	31.5
35-49 years	163	4.3	22.1	27.6	31.3	23,788	2.7	13.6	20.5	26.2
50-64 years	294	4.1	18.0	26.2	33.0	40,509	3.3	13.8	19.7	24.5
65-69 years	111	4.5	19.8	27.0	35.1	12,157	3.3	13.9	19.6	24.0
70+ years	74	0.0	4.1	9.5	12.2	5,549	2.8	14.1	19.8	23.7
Gender										
Male	443	3.2	16.9	24.4	30.2	58,265	3.3	14.4	20.6	25.6
Female	267	3.7	19.1	26.6	33.0	35,679	3.0	15.4	22.8	28.3

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



B. Waiting List Information

Table B9. Percent of candidates with deceased donor transplants: medical characteristics
Candidates registered on the waiting list between 01/01/2014 and 12/31/2016

Characteristic	Percent transplanted at time periods since listing This Center					United States				
	N	30 day	1 year	2 years	3 years	N	30 day	1 year	2 years	3 years
All	710	3.4	17.7	25.2	31.3	93,944	3.2	14.8	21.4	26.6
Blood Type										
O	360	2.5	16.1	22.5	28.3	46,715	2.9	12.9	18.4	22.9
A	211	4.7	23.2	32.2	38.4	29,546	3.9	17.7	25.8	32.1
B	115	2.6	6.1	12.2	20.0	14,207	2.2	11.9	17.7	22.4
AB	24	8.3	50.0	66.7	66.7	3,476	5.2	28.8	39.7	47.4
Previous Transplant										
Yes	125	4.8	24.0	32.8	34.4	12,976	2.5	15.0	23.0	28.6
No	585	3.1	16.4	23.6	30.6	80,968	3.3	14.8	21.2	26.3
Peak PRA/CPRA										
0-9%	496	3.4	15.9	23.0	28.4	75,948	3.4	14.3	20.5	25.6
10-79%	127	2.4	16.5	24.4	32.3	10,612	2.3	14.6	22.1	27.8
80+%	87	4.6	29.9	39.1	46.0	7,301	2.5	20.2	30.2	35.5
Unknown	0	--	--	--	--	7	100.0	100.0	100.0	100.0
Primary Disease*										
Glomerular Diseases	119	0.8	15.1	25.2	33.6	16,973	2.6	15.8	24.0	30.7
Tubular & Interstitial Diseases	21	9.5	23.8	38.1	38.1	3,391	4.5	18.2	26.2	31.2
Polycystic Kidneys	56	1.8	21.4	23.2	26.8	6,192	1.8	13.4	20.7	27.9
Congenital, Familial, Metabolic	3	0.0	33.3	66.7	100.0	1,859	3.9	28.2	38.1	45.1
Diabetes	157	2.5	14.0	21.7	26.1	33,131	2.0	10.7	15.6	19.6
Renovascular & Vascular Diseases	2	0.0	0.0	0.0	0.0	149	5.4	19.5	27.5	32.9
Neoplasms	1	0.0	100.0	100.0	100.0	311	5.1	22.5	28.9	33.8
Hypertensive Nephrosclerosis	138	1.4	14.5	23.2	28.3	20,622	2.8	14.4	21.1	26.7
Other	210	6.7	21.9	27.1	34.8	10,940	8.6	24.0	31.5	36.2
Missing*	3	0.0	33.3	66.7	66.7	376	1.3	10.9	16.0	20.7

* When "retransplant" is indicated, the primary disease is passed forward from the prior transplant in order to indicate the initial primary disease causing organ failure. "Missing" may include some patients for whom retransplant is indicated but no prior diagnosis can be found.



B. Waiting List Information

Table B10. Time to transplant for waiting list candidates*

Candidates registered on the waiting list between 01/01/2014 and 06/30/2019

Percentile	Center	Months to Transplant**		U.S.
		OPO/DSA	Region	
5th	1.5	2	1.1	1
10th	3.5	4.3	2.8	2.7
25th	10.6	12.4	10.8	10.2
50th (median time to transplant)	37.1	59.3	50.3	45.4
75th	Not Observed	Not Observed	Not Observed	Not Observed

* If cells contain "Not Observed" fewer than that percentile of patients had received a transplant. For example, the 50th percentile of time to transplant is the time when 50% of candidates have received transplants. If waiting times are long, then the 50th percentile may not be observed during the follow-up period for this table. Also, if more than 50% of candidates are removed from the list due to death or other reasons before receiving transplants, then the 50th percentile of time to transplant will not be observed.

** Censored on 12/31/2019. Calculated as the months after listing, during which the corresponding percent of all patients initially listed had received a transplant.



B. Waiting List Information

Table B11. Offer Acceptance Practices: 01/01/2019 - 12/31/2019

Offers Acceptance Characteristics	This Center	OPO/DSA	Region	U.S.
Overall				
Number of Offers	9,906	16,261	247,729	1,914,666
Number of Acceptances	107	186	2,338	15,506
Expected Acceptances	81.4	183.2	2,326.6	15,486.6
Offer Acceptance Ratio*	1.31	1.02	1.00	1.00
95% Credible Interval**	[1.07, 1.56]	--	--	--
Low-KDRI Donors (KDRI < 1.05)				
Number of Offers	1,143	2,321	31,726	218,756
Number of Acceptances	31	78	774	5,219
Expected Acceptances	24.7	66.9	784.4	5,214.5
Offer Acceptance Ratio*	1.24	1.16	0.99	1.00
95% Credible Interval**	[0.85, 1.69]	--	--	--
Medium-KDRI Donors (1.05 < KDRI < 1.75)				
Number of Offers	6,983	11,550	170,480	1,285,612
Number of Acceptances	68	100	1,284	8,475
Expected Acceptances	46.8	101.7	1,245.6	8,460.8
Offer Acceptance Ratio*	1.44	0.98	1.03	1.00
95% Credible Interval**	[1.12, 1.79]	--	--	--
High-KDRI Donors (KDRI > 1.75)				
Number of Offers	1,780	2,390	45,523	410,298
Number of Acceptances	8	8	280	1,812
Expected Acceptances	10.0	14.6	296.6	1,811.2
Offer Acceptance Ratio*	0.83	0.60	0.94	1.00
95% Credible Interval**	[0.40, 1.43]	--	--	--
Hard-to-Place Kidneys (Over 100 Offers)				
Number of Offers	8,636	13,494	207,328	1,639,492
Number of Acceptances	16	18	437	2,194
Expected Acceptances	12.7	21.5	303.0	2,191.3
Offer Acceptance Ratio*	1.22	0.85	1.44	1.00
95% Credible Interval**	[0.73, 1.85]	--	--	--

* The offer acceptance ratio estimates the relative offer acceptance practice of Mayo Clinic Florida (FLSL) compared to the national offer acceptance practice. A ratio above one indicates the program is more likely to accept an offer compared to national offer acceptance practices (e.g., an offer acceptance ratio of 1.25 indicates a 25% more likely to accept an offer), while a ratio below one indicates the program is less likely to accept an offer compared to national offer acceptance practices (e.g., an offer acceptance ratio of 0.75 indicates a 25% less likely to accept an offer).

** As an example, the 95% Credible Interval for the overall offer acceptance ratio, [1.07, 1.56], indicates the location of FLSL's true offer acceptance ratio with 95% probability. The best estimate is 31% more likely to accept an offer compared to national acceptance behavior, but FLSL's performance could plausibly range from 7% higher acceptance up to 56% higher acceptance.



B. Waiting List Information

Figure B10. Offer acceptance: Overall




Figure B11. Offer acceptance: Low-KDRI




Figure B12. Offer acceptance: Medium-KDRI




Figure B13. Offer acceptance: High-KDRI





Figure B14. Offer acceptance: Offer number > 100





C. Transplant Information

Table C1D. Deceased donor transplant recipient demographic characteristics

Patients transplanted between 01/01/2019 and 12/31/2019

Characteristic	Percentage in each category		
	Center (N=120)	Region (N=2,491)	U.S. (N=16,534)
Ethnicity/Race (%)*			
White	54.2	29.6	37.4
African-American	36.7	48.4	32.7
Hispanic/Latino	5.8	17.1	20.1
Asian	3.3	3.5	7.9
Other	0.0	1.4	1.9
Unknown	0.0	0.0	0.0
Age (%)			
<2 years	0.0	0.0	0.1
2-11 years	0.0	1.0	1.4
12-17	0.0	1.3	1.7
18-34	10.8	9.3	9.6
35-49 years	15.8	25.7	23.4
50-64 years	40.8	41.7	40.6
65-69 years	17.5	12.0	13.6
70+ years	15.0	9.0	9.7
Gender (%)			
Male	59.2	60.4	60.2
Female	40.8	39.6	39.8

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



C. Transplant Information

Table C1L. Living donor transplant recipient demographic characteristics

Patients transplanted between 01/01/2019 and 12/31/2019

Characteristic	Percentage in each category		
	Center (N=63)	Region (N=794)	U.S. (N=6,867)
Ethnicity/Race (%)*			
White	74.6	60.8	64.1
African-American	19.0	23.0	12.9
Hispanic/Latino	3.2	12.2	15.3
Asian	3.2	3.8	6.1
Other	0.0	0.1	1.5
Unknown	0.0	0.0	0.0
Age (%)			
<2 years	0.0	0.1	0.1
2-11 years	0.0	1.3	1.8
12-17	0.0	1.4	1.6
18-34	9.5	15.5	16.8
35-49 years	25.4	29.0	25.6
50-64 years	31.7	34.4	35.4
65-69 years	17.5	12.3	10.4
70+ years	15.9	6.0	8.3
Gender (%)			
Male	63.5	64.0	62.9
Female	36.5	36.0	37.1

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



C. Transplant Information

Table C2D. Deceased donor transplant recipient medical characteristics**Patients transplanted between 01/01/2019 and 12/31/2019**

Characteristic	Percentage in each category		
	Center (N=120)	Region (N=2,491)	U.S. (N=16,534)
Blood Type (%)			
O	48.3	46.8	46.1
A	34.2	34.2	34.8
B	14.2	12.6	13.8
AB	3.3	6.3	5.4
Previous Transplant (%)			
Yes	14.2	11.7	13.3
No	85.8	88.3	86.7
Peak PRA/CPRA Prior to Transplant (%)			
0-9%	30.0	59.5	59.5
10-79%	44.2	22.7	23.0
80+ %	25.8	17.9	17.4
Unknown	0.0	0.0	0.0
Body Mass Index (%)			
0-20	5.8	8.6	9.7
21-25	30.0	30.3	27.7
26-30	27.5	30.9	30.5
31-35	26.7	22.8	21.3
36-40	9.2	6.4	7.8
41+	0.8	0.8	1.4
Unknown	0.0	0.3	1.5
Primary Disease (%)*			
Glomerular Diseases	20.8	22.1	21.3
Tubular and Interstitial Disease	5.0	3.3	4.1
Polycystic Kidneys	8.3	7.3	7.7
Congenital, Familial, Metabolic	0.8	1.5	2.7
Diabetes	27.5	27.5	29.6
Renovascular & Vascular Diseases	0.8	0.1	0.2
Neoplasms	0.0	0.2	0.4
Hypertensive Nephrosclerosis	24.2	29.6	23.2
Other Kidney	11.7	8.1	10.6
Missing*	0.8	0.2	0.2

* When "retransplant" is indicated, the primary disease is passed forward from the prior transplant in order to indicate the initial primary disease causing organ failure. "Missing" may include some patients for whom retransplant is indicated but no prior diagnosis can be found.



C. Transplant Information

Table C2L. Living donor transplant recipient medical characteristics**Patients transplanted between 01/01/2019 and 12/31/2019**

Characteristic	Percentage in each category		
	Center (N=63)	Region (N=794)	U.S. (N=6,867)
Blood Type (%)			
O	47.6	46.1	43.6
A	39.7	36.0	38.2
B	11.1	13.2	13.9
AB	1.6	4.7	4.3
Previous Transplant (%)			
Yes	11.1	8.6	10.6
No	88.9	91.4	89.4
Peak PRA/CPRA Prior to Transplant (%)			
0-9%	33.3	74.2	75.2
10-79%	58.7	21.4	19.9
80+ %	7.9	4.4	4.8
Unknown	0.0	0.0	0.0
Body Mass Index (%)			
0-20	7.9	11.3	12.0
21-25	30.2	25.8	27.9
26-30	27.0	34.3	31.2
31-35	20.6	20.0	19.6
36-40	14.3	7.7	7.4
41+	0.0	0.6	1.3
Unknown	0.0	0.3	0.5
Primary Disease (%)*			
Glomerular Diseases	28.6	32.1	29.4
Tubular and Interstitial Disease	6.3	3.7	5.3
Polycystic Kidneys	20.6	15.1	12.4
Congenital, Familial, Metabolic	1.6	2.9	3.8
Diabetes	20.6	21.9	24.2
Renovascular & Vascular Diseases	0.0	0.0	0.2
Neoplasms	0.0	0.5	0.5
Hypertensive Nephrosclerosis	19.0	17.1	15.0
Other Kidney	3.2	6.4	8.9
Missing*	0.0	0.3	0.2

* When "retransplant" is indicated, the primary disease is passed forward from the prior transplant in order to indicate the initial primary disease causing organ failure. "Missing" may include some patients for whom retransplant is indicated but no prior diagnosis can be found.



C. Transplant Information

Table C3D. Deceased donor characteristics**Transplants performed between 01/01/2019 and 12/31/2019**

Donor Characteristic	Percentage in each category		
	Center (N=120)	Region (N=2,491)	U.S. (N=16,534)
Cause of Death (%)			
Deceased: Stroke	17.5	25.5	23.4
Deceased: MVA	19.2	17.2	13.8
Deceased: Other	63.3	57.3	62.8
Ethnicity/Race (%)*			
White	65.0	64.6	67.7
African-American	20.0	19.3	12.9
Hispanic/Latino	11.7	14.1	15.3
Asian	2.5	1.4	2.8
Other	0.8	0.7	1.3
Not Reported	0.0	0.0	0.0
Age (%)			
<2 years	0.0	0.6	0.9
2-11 years	5.8	3.3	2.7
12-17	1.7	4.1	3.9
18-34	30.8	33.0	32.3
35-49 years	32.5	31.0	32.0
50-64 years	27.5	25.6	25.5
65-69 years	1.7	2.1	2.0
70+ years	0.0	0.4	0.6
Gender (%)			
Male	56.7	61.8	61.7
Female	43.3	38.2	38.3
Blood Type (%)			
O	48.3	48.3	47.9
A	35.8	36.7	37.3
B	14.2	11.2	11.4
AB	1.7	3.8	3.3
Unknown	0.0	0.0	0.0

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



C. Transplant Information

Table C3L. Living donor characteristics**Transplants performed between 01/01/2019 and 12/31/2019**

Donor Characteristic	Percentage in each category		
	Center (N=63)	Region (N=794)	U.S. (N=6,867)
Ethnicity/Race (%)*			
White	77.8	68.3	70.7
African-American	14.3	15.4	8.7
Hispanic/Latino	6.3	13.4	14.5
Asian	1.6	2.8	4.6
Other	0.0	0.3	1.4
Not Reported	0.0	0.0	0.0
Age (%)			
0-11 years	0.0	0.0	0.0
12-17	0.0	0.0	0.0
18-34	28.6	26.8	26.3
35-49 years	17.5	38.5	38.8
50-64 years	39.7	29.1	29.8
65-69 years	12.7	4.4	3.8
70+ years	1.6	1.1	1.4
Gender (%)			
Male	34.9	35.1	34.9
Female	65.1	64.9	65.1
Blood Type (%)			
O	69.8	70.4	62.7
A	22.2	21.4	27.5
B	6.3	6.4	8.2
AB	1.6	1.8	1.6
Unknown	0.0	0.0	0.0

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



C. Transplant Information

Table C4D. Deceased donor transplant characteristics
Transplants performed between 01/01/2019 and 12/31/2019

Transplant Characteristic	Percentage in each category		
	Center (N=120)	Region (N=2,491)	U.S. (N=16,534)
Cold Ischemic Time (Hours): Local (%)			
Deceased: 0-11 hr	55.7	35.1	33.8
Deceased: 12-21 hr	41.4	45.7	48.6
Deceased: 22-31 hr	2.9	14.9	14.4
Deceased: 32-41 hr	0.0	2.9	1.6
Deceased: 42+ hr	0.0	0.8	0.6
Not Reported	0.0	0.5	0.9
Cold Ischemic Time (Hours): Shared (%)			
Deceased: 0-11 hr	8.0	6.0	8.6
Deceased: 12-21 hr	42.0	26.4	37.9
Deceased: 22-31 hr	44.0	32.2	37.9
Deceased: 32-41 hr	6.0	25.4	11.5
Deceased: 42+ hr	0.0	9.9	3.5
Not Reported	0.0	0.1	0.6
Level of Mismatch (%)			
A Locus Mismatches (%)			
0	19.2	11.0	11.5
1	37.5	37.9	39.4
2	43.3	50.8	48.8
Not Reported	0.0	0.3	0.3
B Locus Mismatches (%)			
0	12.5	6.6	7.5
1	20.0	25.5	24.8
2	67.5	67.6	67.4
Not Reported	0.0	0.3	0.3
DR Locus Mismatches (%)			
0	25.8	14.4	16.6
1	39.2	47.5	47.4
2	35.0	37.8	35.7
Not Reported	0.0	0.3	0.3
Total Mismatches (%)			
0	10.8	4.1	4.7
1	0.8	1.0	1.3
2	5.0	4.4	4.7
3	10.8	13.0	13.9
4	25.8	26.7	27.4
5	38.3	35.1	32.6
6	8.3	15.4	15.1
Not Reported	0.0	0.3	0.3
Procedure Type (%)			
Kidney alone	88.3	94.3	94.1
Kidney and another organ	11.7	5.7	5.9
Dialysis in First Week After Transplant (%)			
Yes	35.0	26.8	29.5
No	65.0	73.2	70.4
Not Reported	0.0	0.0	0.2
Sharing (%)			
Local	58.3	63.2	68.9
Shared	41.7	36.8	31.1
Median Time in Hospital After Transplant*	4.0 Days	5.0 Days	5.0 Days

* Multiple organ transplants are excluded from this statistic.



C. Transplant Information

Table C4L. Living donor transplant characteristics
Transplants performed between 01/01/2019 and 12/31/2019

Transplant Characteristic	Percentage in each category		
	Center (N=63)	Region (N=794)	U.S. (N=6,867)
Relation with Donor (%)			
Related	36.5	39.3	38.0
Unrelated	63.5	60.6	61.8
Not Reported	0.0	0.1	0.2
Level of Mismatch (%)			
A Locus Mismatches (%)			
0	12.7	13.9	16.5
1	49.2	51.0	47.9
2	38.1	34.9	31.6
Not Reported	0.0	0.3	3.9
B Locus Mismatches (%)			
0	3.2	8.2	9.9
1	47.6	44.1	41.5
2	49.2	47.5	44.7
Not Reported	0.0	0.3	3.9
DR Locus Mismatches (%)			
0	9.5	14.6	15.0
1	50.8	49.5	48.3
2	39.7	35.6	32.8
Not Reported	0.0	0.3	3.9
Total Mismatches (%)			
0	0.0	3.5	4.8
1	1.6	3.9	3.8
2	15.9	11.0	11.5
3	22.2	24.9	23.1
4	15.9	16.5	17.6
5	28.6	25.6	22.7
6	15.9	14.4	12.7
Not Reported	0.0	0.3	3.9
Procedure Type (%)			
Kidney alone	100.0	100.0	100.0
Kidney and another organ	0.0	0.0	0.0
Dialysis in First Week After Transplant (%)			
Yes	0.0	1.5	3.0
No	100.0	98.5	96.9
Not Reported	0.0	0.0	0.2
Median Time in Hospital After Transplant*	3.0 Days	4.0 Days	4.0 Days

* Multiple organ transplants are excluded from this statistic.



C. Transplant Information

Table C5. Adult (18+) 1-month survival with a functioning graft
Single organ transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures

	FLSL	U.S.
Number of transplants evaluated	364	48,030
Estimated probability of surviving with a functioning graft at 1 month (unadjusted for patient and donor characteristics)	99.18%	98.68%
Expected probability of surviving with a functioning graft at 1 month (adjusted for patient and donor characteristics)	98.69%	--
Number of observed graft failures (including deaths) during the first month after transplant	3	636
Number of expected graft failures (including deaths) during the first month after transplant	4.77	--
Estimated hazard ratio*	0.74	--
95% credible interval for the hazard ratio**	[0.24, 1.51]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.24, 1.51], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 26% lower risk of graft failure compared to an average program, but FLSL's performance could plausibly range from 76% reduced risk up to 51% increased risk.

Figure C1. Adult (18+) 1-month graft failure HR estimate





Figure C2. Adult (18+) 1-month graft failure HR program comparison





C. Transplant Information

Table C5D. Adult (18+) 1-month survival with a functioning deceased donor graft

Single organ transplants performed between 01/01/2017 and 06/30/2019

Deaths and retransplants are considered graft failures

	FLSL	U.S.
Number of transplants evaluated	239	33,069
Estimated probability of surviving with a functioning graft at 1 month (unadjusted for patient and donor characteristics)	99.16%	98.42%
Expected probability of surviving with a functioning graft at 1 month (adjusted for patient and donor characteristics)	98.43%	--
Number of observed graft failures (including deaths) during the first month after transplant	2	524
Number of expected graft failures (including deaths) during the first month after transplant	3.77	--
Estimated hazard ratio*	0.69	--
95% credible interval for the hazard ratio**	[0.19, 1.52]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.19, 1.52], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 31% lower risk of graft failure compared to an average program, but FLSL's performance could plausibly range from 81% reduced risk up to 52% increased risk.

Figure C1D. Adult (18+) 1-month deceased donor graft failure HR estimate





Figure C2D. Adult (18+) 1-month deceased donor graft failure HR program comparison





C. Transplant Information

Table C5L. Adult (18+) 1-month survival with a functioning living donor graft

Single organ transplants performed between 01/01/2017 and 06/30/2019

Deaths and retransplants are considered graft failures

	FLSL	U.S.
Number of transplants evaluated	125	14,961
Estimated probability of surviving with a functioning graft at 1 month (unadjusted for patient and donor characteristics)	99.20%	99.25%
Expected probability of surviving with a functioning graft at 1 month (adjusted for patient and donor characteristics)	99.20%	--
Number of observed graft failures (including deaths) during the first month after transplant	1	112
Number of expected graft failures (including deaths) during the first month after transplant	1.00	--
Estimated hazard ratio*	1.00	--
95% credible interval for the hazard ratio**	[0.21, 2.41]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.21, 2.41], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 0% lower risk of graft failure compared to an average program, but FLSL's performance could plausibly range from 79% reduced risk up to 141% increased risk.

Figure C1L. Adult (18+) 1-month living donor graft failure HR estimate





Figure C2L. Adult (18+) 1-month living donor graft failure HR program comparison





C. Transplant Information

Table C6. Adult (18+) 1-year survival with a functioning graft

Single organ transplants performed between 01/01/2017 and 06/30/2019

Deaths and retransplants are considered graft failures

	FLSL	U.S.
Number of transplants evaluated	364	48,030
Estimated probability of surviving with a functioning graft at 1 year (unadjusted for patient and donor characteristics)	96.68%	95.89%
Expected probability of surviving with a functioning graft at 1 year (adjusted for patient and donor characteristics)	95.96%	--
Number of observed graft failures (including deaths) during the first year after transplant	11	1,846
Number of expected graft failures (including deaths) during the first year after transplant	13.81	--
Estimated hazard ratio*	0.82	--
95% credible interval for the hazard ratio**	[0.44, 1.33]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.44, 1.33], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 18% lower risk of graft failure compared to an average program, but FLSL's performance could plausibly range from 56% reduced risk up to 33% increased risk.

Figure C3. Adult (18+) 1-year graft failure HR estimate





Figure C4. Adult (18+) 1-year graft failure HR program comparison





C. Transplant Information

Table C6D. Adult (18+) 1-year survival with a functioning deceased donor graft
Single organ transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures

	FLSL	U.S.
Number of transplants evaluated	239	33,069
Estimated probability of surviving with a functioning graft at 1 year (unadjusted for patient and donor characteristics)	96.19%	94.88%
Expected probability of surviving with a functioning graft at 1 year (adjusted for patient and donor characteristics)	94.91%	--
Number of observed graft failures (including deaths) during the first year after transplant	8	1,582
Number of expected graft failures (including deaths) during the first year after transplant	11.45	--
Estimated hazard ratio*	0.74	--
95% credible interval for the hazard ratio**	[0.36, 1.27]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.36, 1.27], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 26% lower risk of graft failure compared to an average program, but FLSL's performance could plausibly range from 64% reduced risk up to 27% increased risk.

Figure C3D. Adult (18+) 1-year deceased donor graft failure HR estimate





Figure C4D. Adult (18+) 1-year deceased donor graft failure HR program comparison





C. Transplant Information

Table C6L. Adult (18+) 1-year survival with a functioning living donor graft

Single organ transplants performed between 01/01/2017 and 06/30/2019

Deaths and retransplants are considered graft failures

	FLSL	U.S.
Number of transplants evaluated	125	14,961
Estimated probability of surviving with a functioning graft at 1 year (unadjusted for patient and donor characteristics)	97.60%	98.11%
Expected probability of surviving with a functioning graft at 1 year (adjusted for patient and donor characteristics)	97.97%	--
Number of observed graft failures (including deaths) during the first year after transplant	3	264
Number of expected graft failures (including deaths) during the first year after transplant	2.36	--
Estimated hazard ratio*	1.15	--
95% credible interval for the hazard ratio**	[0.37, 2.35]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.37, 2.35], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 15% higher risk of graft failure compared to an average program, but FLSL's performance could plausibly range from 63% reduced risk up to 135% increased risk.

Figure C3L. Adult (18+) 1-year living donor graft failure HR estimate





Figure C4L. Adult (18+) 1-year living donor graft failure HR program comparison





C. Transplant Information

Table C7. Adult (18+) 3-year survival with a functioning graft
Single organ transplants performed between 07/01/2014 and 12/31/2016
Deaths and retransplants are considered graft failures

	FLSL	U.S.
Number of transplants evaluated	339	41,625
Estimated probability of surviving with a functioning graft at 3 years (unadjusted for patient and donor characteristics)	85.84%	89.28%
Expected probability of surviving with a functioning graft at 3 years (adjusted for patient and donor characteristics)	87.86%	--
Number of observed graft failures (including deaths) during the first 3 years after transplant	48	4,463
Number of expected graft failures (including deaths) during the first 3 years after transplant	39.75	--
Estimated hazard ratio*	1.20	--
95% credible interval for the hazard ratio**	[0.89, 1.55]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.89, 1.55], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 20% higher risk of graft failure compared to an average program, but FLSL's performance could plausibly range from 11% reduced risk up to 55% increased risk.

Figure C5. Adult (18+) 3-year graft failure HR estimate





Figure C6. Adult (18+) 3-year graft failure HR program comparison





C. Transplant Information

Table C7D. Adult (18+) 3-year survival with a functioning deceased donor graft

Single organ transplants performed between 07/01/2014 and 12/31/2016

Deaths and retransplants are considered graft failures

	FLSL	U.S.
Number of transplants evaluated	258	28,182
Estimated probability of surviving with a functioning graft at 3 years (unadjusted for patient and donor characteristics)	83.33%	86.96%
Expected probability of surviving with a functioning graft at 3 years (adjusted for patient and donor characteristics)	85.99%	--
Number of observed graft failures (including deaths) during the first 3 years after transplant	43	3,674
Number of expected graft failures (including deaths) during the first 3 years after transplant	34.87	--
Estimated hazard ratio*	1.22	--
95% credible interval for the hazard ratio**	[0.89, 1.60]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.89, 1.60], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 22% higher risk of graft failure compared to an average program, but FLSL's performance could plausibly range from 11% reduced risk up to 60% increased risk.

Figure C5D. Adult (18+) 3-year deceased donor graft failure HR estimate





Figure C6D. Adult (18+) 3-year deceased donor graft failure HR program comparison





C. Transplant Information

Table C7L. Adult (18+) 3-year survival with a functioning living donor graft
Single organ transplants performed between 07/01/2014 and 12/31/2016
Deaths and retransplants are considered graft failures

	FLSL	U.S.
Number of transplants evaluated	81	13,443
Estimated probability of surviving with a functioning graft at 3 years (unadjusted for patient and donor characteristics)	93.83%	94.13%
Expected probability of surviving with a functioning graft at 3 years (adjusted for patient and donor characteristics)	93.81%	--
Number of observed graft failures (including deaths) during the first 3 years after transplant	5	789
Number of expected graft failures (including deaths) during the first 3 years after transplant	4.88	--
Estimated hazard ratio*	1.02	--
95% credible interval for the hazard ratio**	[0.41, 1.90]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.41, 1.90], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 2% higher risk of graft failure compared to an average program, but FLSL's performance could plausibly range from 59% reduced risk up to 90% increased risk.

Figure C5L. Adult (18+) 3-year living donor graft failure HR estimate





Figure C6L. Adult (18+) 3-year living donor graft failure HR program comparison





C. Transplant Information

Table C8. Pediatric (<18) 1-month survival with a functioning graft
Single organ transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

**Figure C7. Pediatric (<18)
1-month graft failure HR estimate**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

**Figure C8. Pediatric (<18) 1-month graft failure HR program
comparison**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C8D. Pediatric (<18) 1-month survival with a functioning deceased donor graft
Single organ transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

**Figure C7D. Pediatric (<18)
1-month deceased donor graft
failure HR estimate**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

**Figure C8D. Pediatric (<18) 1-month deceased donor graft
failure HR program comparison**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C8L. Pediatric (<18) 1-month survival with a functioning living donor graft
Single organ transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

Figure C7L. Pediatric (<18)
1-month living donor graft failure
HR estimate

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

Figure C8L. Pediatric (<18) 1-month living donor graft failure
HR program comparison

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C9. Pediatric (<18) 1-year survival with a functioning graft
Single organ transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

**Figure C9. Pediatric (<18) 1-year
graft failure HR estimate**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

**Figure C10. Pediatric (<18) 1-year graft failure HR program
comparison**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C9D. Pediatric (<18) 1-year survival with a functioning deceased donor graft
Single organ transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

**Figure C9D. Pediatric (<18)
1-year deceased donor graft
failure HR estimate**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

**Figure C10D. Pediatric (<18) 1-year deceased donor graft
failure HR program comparison**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C9L. Pediatric (<18) 1-year survival with a functioning living donor graft
Single organ transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

**Figure C9L. Pediatric (<18) 1-year
living donor graft failure HR
estimate**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

**Figure C10L. Pediatric (<18) 1-year living donor graft failure
HR program comparison**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C10. Pediatric (<18) 3-year survival with a functioning graft
Single organ transplants performed between 07/01/2014 and 12/31/2016
Deaths and retransplants are considered graft failures

This center did not perform any
transplants relevant to
this table during
07/01/2014-12/31/2016

**Figure C11. Pediatric (<18) 3-year
graft failure HR estimate**

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016

**Figure C12. Pediatric (<18) 3-year graft failure HR program
comparison**

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016



C. Transplant Information

Table C10D. Pediatric (<18) 3-year survival with a functioning deceased donor graft
Single organ transplants performed between 07/01/2014 and 12/31/2016
Deaths and retransplants are considered graft failures

This center did not perform any
transplants relevant to
this table during
07/01/2014-12/31/2016

Figure C11D. Pediatric (<18)
3-year deceased donor graft
failure HR estimate

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016

Figure C12D. Pediatric (<18) 3-year deceased donor graft
failure HR program comparison

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016



C. Transplant Information

Table C10L. Pediatric (<18) 3-year survival with a functioning living donor graft

Single organ transplants performed between 07/01/2014 and 12/31/2016

Deaths and retransplants are considered graft failures

This center did not perform any
transplants relevant to
this table during
07/01/2014-12/31/2016

Figure C11L. Pediatric (<18) 3-year living donor graft failure HR estimate

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016

Figure C12L. Pediatric (<18) 3-year living donor graft failure HR program comparison

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016



C. Transplant Information

Table C11. Adult (18+) 1-month patient survival

Single organ transplants performed between 01/01/2017 and 06/30/2019
Retransplants excluded

	FLSL	U.S.
Number of transplants evaluated	326	42,495
Estimated probability of surviving at 1 month (unadjusted for patient and donor characteristics)	99.69%	99.57%
Expected probability of surviving at 1 month (adjusted for patient and donor characteristics)	99.55%	--
Number of observed deaths during the first month after transplant	1	183
Number of expected deaths during the first month after transplant	1.46	--
Estimated hazard ratio*	0.87	--
95% credible interval for the hazard ratio**	[0.18, 2.09]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.18, 2.09], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 13% lower risk of patient death compared to an average program, but FLSL's performance could plausibly range from 82% reduced risk up to 109% increased risk.

Figure C13. Adult (18+) 1-month patient death HR estimate





Figure C14. Adult (18+) 1-month patient death HR program comparison





C. Transplant Information

Table C11D. Adult (18+) 1-month patient survival (deceased donor graft recipients)

Single organ transplants performed between 01/01/2017 and 06/30/2019

Retransplants excluded

	FLSL	U.S.
Number of transplants evaluated	213	28,975
Estimated probability of surviving at 1 month (unadjusted for patient and donor characteristics)	100.00%	99.47%
Expected probability of surviving at 1 month (adjusted for patient and donor characteristics)	99.45%	--
Number of observed deaths during the first month after transplant	0	154
Number of expected deaths during the first month after transplant	1.19	--
Estimated hazard ratio*	0.63	--
95% credible interval for the hazard ratio**	[0.08, 1.75]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.08, 1.75], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 37% lower risk of patient death compared to an average program, but FLSL's performance could plausibly range from 92% reduced risk up to 75% increased risk.

Figure C13D. Adult (18+) 1-month patient death HR estimate (deceased donor grafts)





Figure C14D. Adult (18+) 1-month patient death HR program comparison (deceased donor grafts)





C. Transplant Information

Table C11L. Adult (18+) 1-month patient survival (living donor graft recipients)

Single organ transplants performed between 01/01/2017 and 06/30/2019

Retransplants excluded

	FLSL	U.S.
Number of transplants evaluated	113	13,520
Estimated probability of surviving at 1 month (unadjusted for patient and donor characteristics)	99.12%	99.79%
Expected probability of surviving at 1 month (adjusted for patient and donor characteristics)	99.75%	--
Number of observed deaths during the first month after transplant	1	29
Number of expected deaths during the first month after transplant	0.28	--
Estimated hazard ratio*	1.32	--
95% credible interval for the hazard ratio**	[0.27, 3.17]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.27, 3.17], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 32% higher risk of patient death compared to an average program, but FLSL's performance could plausibly range from 73% reduced risk up to 217% increased risk.

Figure C13L. Adult (18+) 1-month patient death HR estimate (living donor grafts)





Figure C14L. Adult (18+) 1-month patient death HR program comparison (living donor grafts)





C. Transplant Information

Table C12. Adult (18+) 1-year patient survival

Single organ transplants performed between 01/01/2017 and 06/30/2019

Retransplants excluded

	FLSL	U.S.
Number of transplants evaluated	326	42,495
Estimated probability of surviving at 1 year (unadjusted for patient and donor characteristics)	97.91%	97.68%
Expected probability of surviving at 1 year (adjusted for patient and donor characteristics)	97.60%	--
Number of observed deaths during the first year after transplant	6	899
Number of expected deaths during the first year after transplant	7.10	--
Estimated hazard ratio*	0.88	--
95% credible interval for the hazard ratio**	[0.38, 1.59]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.38, 1.59], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 12% lower risk of patient death compared to an average program, but FLSL's performance could plausibly range from 62% reduced risk up to 59% increased risk.

Figure C15. Adult (18+) 1-year patient death HR estimate





Figure C16. Adult (18+) 1-year patient death HR program comparison





C. Transplant Information

Table C12D. Adult (18+) 1-year patient survival (deceased donor graft recipients)

Single organ transplants performed between 01/01/2017 and 06/30/2019

Retransplants excluded

	FLSL	U.S.
Number of transplants evaluated	213	28,975
Estimated probability of surviving at 1 year (unadjusted for patient and donor characteristics)	97.73%	97.02%
Expected probability of surviving at 1 year (adjusted for patient and donor characteristics)	96.87%	--
Number of observed deaths during the first year after transplant	4	788
Number of expected deaths during the first year after transplant	6.03	--
Estimated hazard ratio*	0.75	--
95% credible interval for the hazard ratio**	[0.27, 1.45]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.27, 1.45], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 25% lower risk of patient death compared to an average program, but FLSL's performance could plausibly range from 73% reduced risk up to 45% increased risk.

Figure C15D. Adult (18+) 1-year patient death HR estimate (deceased donor grafts)





Figure C16D. Adult (18+) 1-year patient death HR program comparison (deceased donor grafts)





C. Transplant Information

Table C12L. Adult (18+) 1-year patient survival (living donor graft recipients)

Single organ transplants performed between 01/01/2017 and 06/30/2019

Retransplants excluded

	FLSL	U.S.
Number of transplants evaluated	113	13,520
Estimated probability of surviving at 1 year (unadjusted for patient and donor characteristics)	98.23%	99.10%
Expected probability of surviving at 1 year (adjusted for patient and donor characteristics)	98.95%	--
Number of observed deaths during the first year after transplant	2	111
Number of expected deaths during the first year after transplant	1.07	--
Estimated hazard ratio*	1.31	--
95% credible interval for the hazard ratio**	[0.36, 2.86]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.36, 2.86], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 31% higher risk of patient death compared to an average program, but FLSL's performance could plausibly range from 64% reduced risk up to 186% increased risk.

Figure C15L. Adult (18+) 1-year patient death HR estimate (living donor grafts)





Figure C16L. Adult (18+) 1-year patient death HR program comparison (living donor grafts)





C. Transplant Information

Table C13. Adult (18+) 3-year patient survival

Single organ transplants performed between 07/01/2014 and 12/31/2016

Retransplants excluded

	FLSL	U.S.
Number of transplants evaluated	287	35,996
Estimated probability of surviving at 3 years (unadjusted for patient and donor characteristics)	90.59%	93.69%
Expected probability of surviving at 3 years (adjusted for patient and donor characteristics)	93.08%	--
Number of observed deaths during the first 3 years after transplant	27	2,273
Number of expected deaths during the first 3 years after transplant	19.00	--
Estimated hazard ratio*	1.38	--
95% credible interval for the hazard ratio**	[0.92, 1.93]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.92, 1.93], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 38% higher risk of patient death compared to an average program, but FLSL's performance could plausibly range from 8% reduced risk up to 93% increased risk.

Figure C17. Adult (18+) 3-year patient death HR estimate





Figure C18. Adult (18+) 3-year patient death HR program comparison





C. Transplant Information

Table C13D. Adult (18+) 3-year patient survival (deceased donor graft recipients)

Single organ transplants performed between 07/01/2014 and 12/31/2016

Retransplants excluded

	FLSL	U.S.
Number of transplants evaluated	213	23,929
Estimated probability of surviving at 3 years (unadjusted for patient and donor characteristics)	88.73%	92.14%
Expected probability of surviving at 3 years (adjusted for patient and donor characteristics)	91.82%	--
Number of observed deaths during the first 3 years after transplant	24	1,881
Number of expected deaths during the first 3 years after transplant	16.61	--
Estimated hazard ratio*	1.40	--
95% credible interval for the hazard ratio**	[0.91, 1.98]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.91, 1.98], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 40% higher risk of patient death compared to an average program, but FLSL's performance could plausibly range from 9% reduced risk up to 98% increased risk.

Figure C17D. Adult (18+) 3-year patient death HR estimate (deceased donor grafts)





Figure C18D. Adult (18+) 3-year patient death HR program comparison (deceased donor grafts)





C. Transplant Information

Table C13L. Adult (18+) 3-year patient survival (living donor graft recipients)

Single organ transplants performed between 07/01/2014 and 12/31/2016

Retransplants excluded

	FLSL	U.S.
Number of transplants evaluated	74	12,067
Estimated probability of surviving at 3 years (unadjusted for patient and donor characteristics)	95.95%	96.75%
Expected probability of surviving at 3 years (adjusted for patient and donor characteristics)	96.71%	--
Number of observed deaths during the first 3 years after transplant	3	392
Number of expected deaths during the first 3 years after transplant	2.38	--
Estimated hazard ratio*	1.14	--
95% credible interval for the hazard ratio**	[0.37, 2.34]	--

* The hazard ratio provides an estimate of how Mayo Clinic Florida (FLSL)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If FLSL's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.37, 2.34], indicates the location of FLSL's true hazard ratio with 95% probability. The best estimate is 14% higher risk of patient death compared to an average program, but FLSL's performance could plausibly range from 63% reduced risk up to 134% increased risk.

Figure C17L. Adult (18+) 3-year patient death HR estimate (living donor grafts)





Figure C18L. Adult (18+) 3-year patient death HR program comparison (living donor grafts)





C. Transplant Information

Table C14. Pediatric (<18) 1-month patient survival

Single organ transplants performed between 01/01/2017 and 06/30/2019

Retransplants excluded

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

**Figure C19. Pediatric (<18)
1-month patient death HR
estimate**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

**Figure C20. Pediatric (<18) 1-month patient death HR program
comparison**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C14D. Pediatric (<18) 1-month patient survival (deceased donor graft recipients)
Single organ transplants performed between 01/01/2017 and 06/30/2019
Retransplants excluded

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

Figure C19D. Pediatric (<18)
1-month patient death HR
estimate (deceased donor grafts)

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

Figure C20D. Pediatric (<18) 1-month patient death HR
program comparison (deceased donor grafts)

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C14L. Pediatric (<18) 1-month patient survival (living donor graft recipients)
Single organ transplants performed between 01/01/2017 and 06/30/2019
Retransplants excluded

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

**Figure C19L. Pediatric (<18)
1-month patient death HR
estimate (living donor grafts)**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

**Figure C20L. Pediatric (<18) 1-month patient death HR
program comparison (living donor grafts)**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C15. Pediatric (<18) 1-year patient survival

Single organ transplants performed between 01/01/2017 and 06/30/2019

Retransplants excluded

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

Figure C21. Pediatric (<18) 1-year patient death HR estimate

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

Figure C22. Pediatric (<18) 1-year patient death HR program comparison

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C15D. Pediatric (<18) 1-year patient survival (deceased donor graft recipients)
Single organ transplants performed between 01/01/2017 and 06/30/2019
Retransplants excluded

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

Figure C21D. Pediatric (<18)
1-year patient death HR estimate
(deceased donor grafts)

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

Figure C22D. Pediatric (<18) 1-year patient death HR program
comparison (deceased donor grafts)

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C15L. Pediatric (<18) 1-year patient survival (living donor graft recipients)

Single organ transplants performed between 01/01/2017 and 06/30/2019

Retransplants excluded

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

Figure C21L. Pediatric (<18) 1-year patient death HR estimate (living donor grafts)

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

Figure C22L. Pediatric (<18) 1-year patient death HR program comparison (living donor grafts)

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

Table C16. Pediatric (<18) 3-year patient survival

Single organ transplants performed between 07/01/2014 and 12/31/2016

Retransplants excluded

This center did not perform any
transplants relevant to
this table during
07/01/2014-12/31/2016

Figure C23. Pediatric (<18) 3-year patient death HR estimate

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016

Figure C24. Pediatric (<18) 3-year patient death HR program comparison

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016



C. Transplant Information

Table C16D. Pediatric (<18) 3-year patient survival (deceased donor graft recipients)
Single organ transplants performed between 07/01/2014 and 12/31/2016
Retransplants excluded

This center did not perform any
transplants relevant to
this table during
07/01/2014-12/31/2016

**Figure C23D. Pediatric (<18)
3-year patient death HR estimate
(deceased donor grafts)**

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016

**Figure C24D. Pediatric (<18) 3-year patient death HR program
comparison (deceased donor grafts)**

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016



C. Transplant Information

Table C16L. Pediatric (<18) 3-year patient survival (living donor graft recipients)

Single organ transplants performed between 07/01/2014 and 12/31/2016

Retransplants excluded

This center did not perform any
transplants relevant to
this table during
07/01/2014-12/31/2016

Figure C23L. Pediatric (<18) 3-year patient death HR estimate (living donor grafts)

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016

Figure C24L. Pediatric (<18) 3-year patient death HR program comparison (living donor grafts)

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016



C. Transplant Information

Table C17. Multi-organ transplant graft survival: 01/01/2017 - 06/30/2019

Adult (18+) Transplants

Transplant Type	First-Year Outcomes					
	Transplants Performed		Kidney Graft Failures		Estimated Kidney Graft Survival	
	FLSL-TX1	USA	FLSL-TX1	USA	FLSL-TX1	USA
Kidney-Heart	8	493	1	67	87.5%	86.2%
Kidney-Liver	33	1,695	3	196	90.3%	88.0%
Kidney-Pancreas	22	2,048	1	62	95.5%	96.8%

Pediatric (<18) Transplants

No pediatric (<18) multi-organ transplants were performed

Table C18. Multi-organ transplant patient survival: 01/01/2017 - 06/30/2019

Adult (18+) Transplants

Transplant Type	First-Year Outcomes					
	Transplants Performed		Patient Deaths		Estimated Patient Survival	
	FLSL-TX1	USA	FLSL-TX1	USA	FLSL-TX1	USA
Kidney-Heart	8	493	1	47	87.5%	90.3%
Kidney-Liver	33	1,695	2	161	93.4%	90.0%
Kidney-Pancreas	22	2,048	0	37	100.0%	98.0%

Pediatric (<18) Transplants

No pediatric (<18) multi-organ transplants were performed



D. Living Donor Information

Table D1. Living donor summary: 01/01/2017 - 12/31/2019

Living Donor Follow-Up	This Center			United States		
	01/2017- 12/2017	01/2018- 12/2018	01/2019- 06/2019	01/2017- 12/2017	01/2018- 12/2018	01/2019- 06/2019
Number of Living Donors	48	51	26	5,814	6,448	3,383
6-Month Follow-Up						
Donors due for follow-up	48	51	26	5,811	6,447	3,381
Timely clinical data	48 100.0%	50 98.0%	25 96.2%	5,134 88.3%	5,612 87.0%	2,943 87.0%
Timely lab data	47 97.9%	49 96.1%	24 92.3%	4,947 85.1%	5,385 83.5%	2,857 84.5%
12-Month Follow-Up						
Donors due for follow-up	48	51		5,810	6,442	
Timely clinical data	46 95.8%	48 94.1%		4,819 82.9%	5,343 82.9%	
Timely lab data	44 91.7%	47 92.2%		4,559 78.5%	5,028 78.1%	
24-Month Follow-Up						
Donors due for follow-up	48			5,808		
Timely clinical data	38 79.2%			4,395 75.7%		
Timely lab data	37 77.1%			4,038 69.5%		

Follow-up completion standards through 2 years post-donation were implemented in policy on February 1, 2013.