



User Guide

This report contains a wide range of useful information about the kidney-pancreas transplant program at University of Minnesota Medical Center, Fairview (MNUM). The report has three main sections:

- A. Program Summary
- B. Waiting List Information
- C. Transplant Information

The Program Summary is a one-page summary highlighting characteristics of the program, including the number of candidates on the waiting list, the number of transplants performed at the program, the number of patients being cared for by the program, and patient outcomes, including outcomes while on the waiting list (the transplant rate and the death rate while on the waiting list) and outcomes after transplant (patient and graft survival probabilities). If the program performed transplants in both adults and children, survival probabilities for adults and children (pediatrics) are provided separately. For each of the outcomes measures presented, a comparison is provided showing what would be expected at this program if it were performing as similar programs around the country perform when treating similar patients. More details regarding these outcome measures are provided in Sections B and C of the report.

The Waiting List Information section contains more detailed information on how many candidates are on the waiting list at the program, the types of candidates on the waiting list, how long candidates typically have to wait for a transplant at this program, how frequently candidates successfully receive a transplant, and how often candidates on the waiting list die before receiving a transplant.

Table B1 shows the activity on this program's waiting list during two recent 1-year periods and provides comparisons to all programs within this program's OPTN region (see <http://optn.transplant.hrsa.gov/members/regions.asp> for information on OPTN regions) and the nation as a whole. Tables B2 and B3 describe the candidates on the waiting list at this program, with comparisons to candidates waiting in the same donor service area (OPO/DSA) the OPTN region, and the nation as a whole.

Table B4 shows how many candidates were removed from the waiting list because they received a transplant. The program's transplant rate is calculated as the number of candidates who received a transplant divided by the person-years observed at the program (person-years is a combination of how many candidates were on the waiting list along with how long each candidate was followed since some candidates are not on the waiting list for the entire year). The transplant rate and comparisons to what would be expected at this program are presented in Figures B1 and B2. Figure B1 shows the transplant rate compared to what was expected at this program. The expected transplant rate is an estimate of what we would expect at this program if it were performing transplants at rates similar to other programs in the US with similar candidates on their waiting lists. The expected rate is only an estimate, and is made with a certain level of uncertainty. This uncertainty is shown in Figure B2. Figure B2 displays the ratio of the observed to the expected transplant rate. A ratio of 1 indicates that the observed transplant rate was equal to the expected transplant rate, while a ratio less than 1 indicates the observed rate was lower than expected rate and a ratio greater than 1 indicates the observed rate was higher than the expected rate. However, the level of uncertainty must be considered when interpreting these numbers. The 95% interval is also shown on Figure B2. This interval provides a range within which the true ratio of observed to expected transplant rates is likely to be. If this



User Guide

confidence interval includes (crosses) 1.0, then we cannot say that this program's observed transplant rate is different from what would be expected. The observed deceased donor transplant rate at this program was 25.0 per 100 person-years. Transplant rates are also provided for adult and pediatric patients separately along with comparisons to adult and pediatric rates in the DSA, the OPTN region, and the nation. Please refer to the PSR Technical Methods documentation available at <http://www.srtr.org> for more detail regarding how expected rates are calculated.

The death rate (also known as the mortality rate) for candidates on the waiting list is presented in Table B5 and Figures B4-B6. These data are presented in the same way as the transplant rate data in the previous section. The intent of this table and figures is to describe risk of death once candidates are listed rather than while they are listed, but before they are transplanted. Therefore, time at risk and deaths after removal from the waiting list for reasons other than transplant, transfer to another transplant program, or recovery (no longer needing a transplant), and before any subsequent transplant, are included. As with transplant rates, mortality rates should be interpreted carefully taking into consideration the interval displayed in Figure B5. For a complete description of how observed and expected mortality rates are calculated, please refer to the technical documentation available at <http://www.srtr.org>.

Survival from listing is presented in Table B6 and Figures B7-B9. These data are presented in the same way as the waiting list mortality rate data in the previous section. The intent of this table and figures is to describe risk of death once candidates are listed rather than while they are listed, including after a transplant. As with transplant rates, mortality rates should be interpreted carefully taking into consideration the interval displayed in Figure B8. For a complete description of how observed and expected mortality rates are calculated, please refer to the technical documentation available at <http://www.srtr.org>.

Table B7 presents information on what happens to candidates on the waiting list by three different time points after listing: 6 months, 12 months, and 18 months. The table displays percentages of candidates who have died, been removed from the waiting list, been transplanted, or been transferred or lost-to-follow-up. Tables B8 and B9 provide more detail regarding how many candidates have received a deceased donor transplant by certain time points during the first 3 years after being put on the transplant waiting list. Each row of Tables B8 and B9 presents the percent of candidates who received a deceased donor transplant by each time point. Table B10 presents data on the time it took for different percentages of patients to be transplanted for candidates added to the list between 01/01/2014 and 06/30/2019. The time it took for 5% (the 5th percentile) of patients to receive a transplant at this program was 2.8 months. If "Not Observed" is displayed in the table, then too few candidates received transplants before 12/31/2019 to calculate a particular percentile of transplant times.

Table B11 contains a summary of the offer acceptance practices of the program. The offer acceptance ratio indicates whether the program is more or less likely to accept offers than the average program. If the offer acceptance ratio is greater than 1.0, then the program tends to accept more offers than average; if the offer acceptance ratio is less than 1.0, then the program tends to accept fewer offers than average. Figure B10 shows the distribution of program offer acceptance rates as well as the offer acceptance rate for this program. Figures B11 - B15 similarly show offer acceptance rates for subsets of offers.



User Guide

The Transplant Information section begins with descriptions of transplant recipients in Tables C1 and C2. Data on recipients of deceased donor transplants are presented (Tables C1D and C2D); if applicable, data on recipients of living donor transplants are presented separately (Tables C1L and C2L). Comparisons to the region and the nation as a whole are provided. A description of the deceased donors used at this program is provided in Table C3D, along with characteristics of living donors in Table C3L, if applicable. Finally, information on the transplant procedure for deceased and living donor transplants is presented in Tables C4D and C4L, respectively.

Starting with Table C5, transplant outcomes are presented along with comparisons to what would be expected at this program and what happened in the nation as a whole. Tables C5-C10 present information on graft survival (survival of the transplanted organ), with data presented separately for adult and pediatric recipients. Patients are followed from the time of transplant until either failure of the transplanted organ or death, whichever comes first. Please refer to the technical methods for more information on these calculations (<http://www.srtr.org>).

While Tables C5-C10 present data on graft survival, Tables C11-C16 present information on patient survival. For these tables, patients are followed from the time of transplant until death, regardless of whether the transplant is functioning or the patient required another transplant to survive.

Tables C17 and C18 summarize the multiorgan transplant outcomes at this program. The summary statistics in these tables are descriptive and are not risk-adjusted for different donor and candidate characteristics.

Additional information regarding the technical methods and the risk adjustment models used to estimate expected event rates is available on the SRTR website at <http://www.srtr.org>. We welcome and encourage feedback on these reports. Please feel free to share feedback with the SRTR at the following e-mail: srtr@srtr.org.



Table of Contents

Section	Page
User Guide	i
A. Program Summary	
Program Summary	1
B. Waiting List Information	
Waiting list activity	2
Demographic characteristics of waiting list candidates	3
Medical characteristics of waiting list candidates	4
Deceased donor transplant rates	5
Waiting list mortality rates	6
Patient survival from listing	7
Waiting list candidate status after listing	8
Percent of candidates with deceased donor transplants: demographic characteristics	9
Percent of candidates with deceased donor transplants: medical characteristics	10
Time to transplant for waiting list candidates	11
C. Transplant Information	
Deceased donor transplant recipient demographic characteristics	12
Deceased donor transplant recipient medical characteristics	13
Deceased donor characteristics	14
Deceased donor transplant characteristics	15
Deceased donor kidney graft survival	16
Deceased donor patient survival	22



A. Program Summary

Figure A1. Waiting list and transplant activity




Table A1. Census of transplant recipients

Recipients	01/01/2018-12/31/2018	01/01/2019-12/31/2019
Transplanted at this center	30	28
Followed by this center*	301	298
...transplanted at this program	295	293
...transplanted elsewhere	6	5

* Recipients followed are transplant recipients for whom the center has submitted a post-transplant follow-up form for a transplant that took place before the 12-month interval for each column.

Figure A2. Transplant rates 01/01/2018 - 12/31/2019




Figure A3. Waiting list mortality rates 01/01/2018 - 12/31/2019




Figure A4. First-year adult graft and patient survival: 01/01/2017 - 06/30/2019




Figure A5. First-year pediatric graft and patient survival: 01/01/2017 - 06/30/2019

This center did not perform any transplants relevant to this figure during 01/01/2017-06/30/2019



B. Waiting List Information

Table B1. Waiting list activity summary: 01/01/2018 - 12/31/2019

Waiting List Registrations	Counts for this center		Activity for 01/01/2019 to 12/31/2019 as percent of registrants on waiting list on 01/01/2019		
	01/01/2018-12/31/2018	01/01/2019-12/31/2019	This Center (%)	OPTN Region (%)	U.S. (%)
On waiting list at start	152	131	100.0	100.0	100.0
Additions					
New listings at this center	43	50	38.2	73.2	89.0
Removals					
Transferred to another center	3	0	0.0	0.7	1.2
Received living donor transplant*	1	4	3.1	5.0	3.6
Received deceased donor transplant*	30	33	25.2	44.8	54.8
Died	9	8	6.1	4.3	4.6
Transplanted at another center	2	2	1.5	4.7	4.8
Deteriorated	9	5	3.8	4.7	5.3
Recovered	0	0	0.0	0.3	0.5
Other reasons	10	10	7.6	7.0	9.2
On waiting list at end of period	131	119	90.8	101.7	104.9

* These patients were removed from waiting list with removal code indicating transplant; this may not equal the number of transplants performed at this center during the specified period.



B. Waiting List Information

Table B2. Demographic characteristics of waiting list candidates
Candidates registered on the waiting list between 01/01/2019 and 12/31/2019

Demographic Characteristic	New Waiting List Registrations 01/01/2019 to 12/31/2019 (%)			All Waiting List Registrations on 12/31/2019 (%)		
	This Center (N=50)	OPTN Region (N=219)	U.S. (N=1,482)	This Center (N=119)	OPTN Region (N=304)	U.S. (N=1,747)
All (%)	100.0	100.0	100.0	100.0	100.0	100.0
Ethnicity/Race (%)*						
White	70.0	51.6	49.5	73.9	60.9	51.0
African-American	10.0	21.0	27.2	12.6	19.4	27.3
Hispanic/Latino	6.0	16.4	16.7	4.2	11.2	15.7
Asian	14.0	8.7	5.1	5.9	5.3	4.2
Other	0.0	2.3	1.5	3.4	3.3	1.8
Unknown	0.0	0.0	0.0	0.0	0.0	0.0
Age (%)						
<2 years	0.0	0.0	0.0	0.0	0.0	0.0
2-11 years	0.0	0.0	0.1	0.0	0.0	0.1
12-17 years	0.0	0.0	0.1	0.0	0.0	0.1
18-34 years	20.0	16.0	25.8	16.8	16.1	26.2
35-49 years	34.0	40.6	50.5	41.2	47.7	52.7
50-64 years	42.0	42.0	23.1	42.0	36.2	20.9
65-69 years	4.0	1.4	0.3	0.0	0.0	0.1
70+ years	0.0	0.0	0.0	0.0	0.0	0.0
Gender (%)						
Male	72.0	64.8	58.1	58.8	59.2	53.8
Female	28.0	35.2	41.9	41.2	40.8	46.2

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



B. Waiting List Information

Table B3. Medical characteristics of waiting list candidates

Candidates registered on the waiting list between 01/01/2019 and 12/31/2019

Medical Characteristic	New Waiting List Registrations 01/01/2019 to 12/31/2019 (%)			All Waiting List Registrations on 12/31/2019 (%)		
	This Center	OPTN Region	U.S.	This Center	OPTN Region	U.S.
	(N=50)	(N=219)	(N=1,482)	(N=119)	(N=304)	(N=1,747)
All (%)	100.0	100.0	100.0	100.0	100.0	100.0
Blood Type (%)						
O	40.0	43.4	47.0	50.4	50.0	48.3
A	34.0	32.4	33.2	31.9	29.6	30.7
B	20.0	18.7	16.0	14.3	16.1	18.1
AB	6.0	5.5	3.8	3.4	4.3	2.9
Unknown	0.0	0.0	0.0	0.0	0.0	0.0
Previous Transplant (%)						
Yes	6.0	4.1	3.8	13.4	10.9	7.8
No	94.0	95.9	96.2	86.6	89.1	92.2
Unknown	0.0	0.0	0.0	0.0	0.0	0.0
Initial CPRA (%)						
0-9%	78.0	84.9	81.1	61.3	75.3	76.8
10-79%	18.0	9.1	13.2	25.2	14.5	13.5
80+%	4.0	5.9	5.7	13.4	10.2	9.8
Unknown	0.0	0.0	0.0	0.0	0.0	0.0



B. Waiting List Information

Table B4D. Deceased donor transplant rates: 01/01/2018 - 12/31/2019

Waiting List Registrations	This Center	OPO/DSA	Region	U.S.
All Candidates				
Count on waiting list at start*	152	344	503	2,383
Person Years**	273.9	641.3	953.6	4,574.3
Removals for Transplant	63	106	335	2,002
Adult (18+) Candidates				
Count on waiting list at start*	152	343	502	2,380
Person Years**	273.9	641.2	953.5	4,569.4
Removals for transplant	63	105	334	1,998
Pediatric (<18) Candidates				
Count on waiting list at start*	--	--	--	--
Person Years**	--	--	--	--
Removals for transplant	--	--	--	--

Since candidates listed for combined liver-intestine transplants are also often listed for a pancreas for vascular continuity, candidates simultaneously listed for intestine transplants are not included in this table.

* Counts in this table may be lower than similar counts in other waiting list tables, such as Table B1. A small percentage (~1%) of patients are found to have died or been transplanted before being removed from the waiting list, so these patients are excluded if the event occurs prior to the start of the study period. Inactive time on the waiting list is included in the calculations for this table.

** Person years are calculated as days (converted to fractional years). The number of days from January 1 or from the date of first wait listing until death, transplant, removal from the waiting list or December 31.

Figure B1D. Observed and expected deceased donor transplant rates: 01/01/2018 - 12/31/2019




Figure B2D. Deceased donor transplant rate ratio estimate





Figure B3D. Observed adult (18+) and pediatric (<18) deceased donor transplant rates: 01/01/2018 - 12/31/2019





B. Waiting List Information

Table B5. Waiting list mortality rates: 01/01/2018 - 12/31/2019

Waiting List Registrations	This Center	OPO/DSA	Region	U.S.
All Candidates				
Count on waiting list at start*	152	344	503	2,383
Person Years**	302.3	718.6	1,076.4	5,306.2
Number of deaths	24	37	49	257
Adult (18+) Candidates				
Count on waiting list at start*	152	343	502	2,380
Person Years**	302.3	718.5	1,076.2	5,300.0
Number of deaths	24	37	49	257
Pediatric (<18) Candidates				
Count on waiting list at start*	--	--	--	--
Person Years**	--	--	--	--
Number of deaths	--	--	--	--

Since candidates listed for combined liver-intestine transplants are also often listed for a pancreas for vascular continuity, candidates simultaneously listed for intestine transplants are not included in this table.

* Counts in this table may be lower than similar counts in other waiting list tables, such as Table B1. A small percentage (~1%) of patients are found to have died or been transplanted before being removed from the waiting list, so these patients are excluded if the event occurs prior to the start of the study period. Inactive time on the waiting list is included in the calculations for this table.

** Person years are calculated as days (converted to fractional years). The number of days from January 1 or from the date of first wait listing until death, transplant, 60 days after recovery, transfer or December 31.

Figure B4. Observed and expected waiting list mortality rates: 01/01/2018 - 12/31/2019




Figure B5. Waiting list mortality rate ratio estimate





Figure B6. Observed adult (18+) and pediatric (<18) waiting list mortality rates: 01/01/2018 - 12/31/2019





B. Waiting List Information

Table B6. Rates of patient mortality after listing: 01/01/2018 - 12/31/2019

Waiting List Registrations	This Center	OPO/DSA	Region	U.S.
All Patients				
Count at risk during the evaluation period	320	518	1,265	8,403
Person-years*	437.6	701.9	1,708.7	11,465.2
Number of Deaths	24	35	64	368
Adult (18+) Patients				
Count at risk during the evaluation period	320	518	1,265	8,398
Person-years*	437.6	701.9	1,708.7	11,457.0
Number of Deaths	24	35	64	368
Pediatric (<18) Patients				
Count at risk during the evaluation period	0	0	0	5
Person-years*	0.0	0.0	0.0	8.2
Number of Deaths	0	0	0	0

Since candidates listed for combined liver-intestine transplants are also often listed for a pancreas for vascular continuity, candidates simultaneously listed for intestine transplants are not included in this table.

* Person-years are calculated as days (converted to fractional years). The number of days from 01/01/2018, or from the date of first wait listing until death, reaching 5 years after listing or December 31, 2019.

** Patient mortality after listing describes the relative survival experience of patients after listing. It depends on many factors, some of which are outside of the control of the transplant program. For example, availability of organs may not be the same in every part of the country.

Figure B7. Observed and expected rates of patient mortality after listing: 01/01/2018 - 12/31/2019




Figure B8. HR estimate of patient mortality after listing





Figure B9. Observed adult (18+) and pediatric (<18) rates of patient mortality after listing: 01/01/2018 - 12/31/2019





B. Waiting List Information

Table B7. Waiting list candidate status after listing
Candidates registered on waiting list between 07/01/2017 and 06/30/2018

Waiting list status (survival status)	This Center (N=41)			U.S. (N=1,285)		
	Months Since Listing 6	12	18	Months Since Listing 6	12	18
Kidney						
Alive on waiting list (%)	87.8	82.9	68.3	55.6	39.8	27.2
Died on the waiting list without transplant (%)	2.4	4.9	7.3	0.6	1.9	2.9
Removed without transplant (%):						
Condition worsened (status unknown)	2.4	2.4	2.4	0.7	1.4	2.5
Condition improved (status unknown)	0.0	0.0	0.0	0.2	0.4	0.5
Refused transplant (status unknown)	0.0	0.0	0.0	0.1	0.2	0.2
Other	2.4	2.4	2.4	1.3	2.6	3.7
Transplant (living or deceased donor) (%):						
Functioning (alive)	4.9	7.3	19.5	38.4	45.8	39.3
Failed-Retransplanted (alive)	0.0	0.0	0.0	0.1	0.1	0.1
Failed-alive not retransplanted	0.0	0.0	0.0	0.2	0.5	0.3
Died	0.0	0.0	0.0	0.5	1.4	1.6
Status Yet Unknown*	0.0	0.0	0.0	2.3	5.5	21.2
Lost or Transferred (status unknown) (%)	0.0	0.0	0.0	0.0	0.5	0.7
TOTAL (%)	100.0	100.0	100.0	100.0	100.0	100.0
Total % known died on waiting list or after transplant	2.4	4.9	7.3	1.1	3.3	4.4
Total % known died or removed as unstable	4.9	7.3	9.8	1.8	4.7	6.9
Total % removed for transplant	4.9	7.3	19.5	41.5	53.2	62.4
Total % with known functioning transplant (alive)	4.9	7.3	19.5	38.4	45.8	39.3
Pancreas						
Alive on waiting list (%)	87.8	82.9	68.3	55.6	39.8	27.2
Died on the waiting list without transplant (%)	2.4	4.9	7.3	0.6	1.9	2.9
Removed without transplant (%):						
Condition worsened (status unknown)	2.4	2.4	2.4	0.7	1.4	2.5
Condition improved (status unknown)	0.0	0.0	0.0	0.2	0.4	0.5
Refused transplant (status unknown)	0.0	0.0	0.0	0.1	0.2	0.2
Other	2.4	2.4	2.4	1.3	2.6	3.7
Transplant (living or deceased donor) (%):						
Functioning (alive)	0.0	0.0	12.2	33.9	39.6	33.2
Failed-Retransplanted (alive)	0.0	0.0	0.0	0.1	0.1	0.1
Failed-alive not retransplanted	0.0	0.0	0.0	1.2	1.9	1.7
Died	0.0	0.0	0.0	0.5	1.3	1.5
Status Yet Unknown*	4.9	7.3	7.3	5.8	10.3	25.9
Lost or Transferred (status unknown) (%)	0.0	0.0	0.0	0.0	0.5	0.7
TOTAL (%)	100.0	100.0	100.0	100.0	100.0	100.0
Total % known died on waiting list or after transplant	2.4	4.9	7.3	1.2	3.3	4.4
Total % known died or removed as unstable	4.9	7.3	9.8	1.9	4.7	6.8
Total % removed for transplant	4.9	7.3	19.5	41.5	53.2	62.4
Total % with known functioning transplant (alive)	0.0	0.0	12.2	33.9	39.6	33.2

* Follow-up form covering specified time period not yet completed, and possibly has not become due.



B. Waiting List Information

Table B8. Percent of candidates with deceased donor transplants: demographic characteristics
Candidates registered on the waiting list between 01/01/2014 and 12/31/2016

Characteristic	Percent transplanted at time periods since listing									
	This Center					United States				
	N	30 day	1 year	2 years	3 years	N	30 day	1 year	2 years	3 years
All	141	0.0	9.9	18.4	35.5	3,628	7.4	42.0	54.0	59.1
Ethnicity/Race*										
White	107	0.0	7.5	18.7	36.4	2,045	6.7	40.2	52.8	58.3
African-American	19	0.0	5.3	5.3	15.8	896	8.4	44.3	54.7	59.4
Hispanic/Latino	3	0.0	0.0	0.0	33.3	532	9.0	44.9	57.7	62.0
Asian	7	0.0	57.1	57.1	71.4	112	6.2	46.4	57.1	59.8
Other	5	0.0	20.0	20.0	40.0	43	7.0	32.6	41.9	53.5
Unknown	0	--	--	--	--	0	--	--	--	--
Age										
<2 years	0	--	--	--	--	1	100.0	100.0	100.0	100.0
2-11 years	0	--	--	--	--	1	0.0	100.0	100.0	100.0
12-17 years	0	--	--	--	--	5	0.0	40.0	40.0	40.0
18-34 years	22	0.0	4.5	13.6	31.8	962	7.8	44.4	57.9	62.9
35-49 years	59	0.0	16.9	22.0	39.0	1,917	7.2	41.9	53.8	58.7
50-64 years	60	0.0	5.0	16.7	33.3	731	7.7	39.4	49.7	55.3
65-69 years	0	--	--	--	--	11	0.0	27.3	36.4	45.5
70+ years	0	--	--	--	--	0	--	--	--	--
Gender										
Male	89	0.0	12.4	21.3	37.1	2,108	7.5	44.9	56.8	62.1
Female	52	0.0	5.8	13.5	32.7	1,520	7.4	38.0	50.1	54.9

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



B. Waiting List Information

Table B9. Percent of candidates with deceased donor transplants: medical characteristics
Candidates registered on the waiting list between 01/01/2014 and 12/31/2016

Characteristic	N	Percent transplanted at time periods since listing								
		This Center				United States				
		30 day	1 year	2 years	3 years	N	30 day	1 year	2 years	3 years
All	141	0.0	9.9	18.4	35.5	3,628	7.4	42.0	54.0	59.1
Blood Type										
O	53	0.0	3.8	7.5	24.5	1,729	8.5	40.8	53.5	58.1
A	62	0.0	9.7	19.4	43.5	1,272	6.3	43.1	55.5	61.8
B	20	0.0	20.0	35.0	35.0	484	5.4	39.7	48.3	52.7
AB	6	0.0	33.3	50.0	50.0	143	11.9	55.2	65.7	69.2
Previous Transplant										
Yes	17	0.0	11.8	17.6	29.4	242	4.5	17.8	24.0	28.5
No	124	0.0	9.7	18.5	36.3	3,386	7.6	43.8	56.1	61.3
Peak PRA/CPRA										
0-9%	84	0.0	9.5	16.7	33.3	2,982	7.8	44.4	57.2	62.3
10-79%	44	0.0	11.4	25.0	45.5	445	8.3	36.9	45.8	52.8
80+%	13	0.0	7.7	7.7	15.4	201	0.5	18.4	24.4	25.9
Unknown	0	--	--	--	--	0	--	--	--	--
Years Since Diabetes Onset										
0-20	52	0.0	7.7	15.4	30.8	927	7.7	43.0	54.3	60.3
20-30	48	0.0	14.6	25.0	39.6	1,474	7.1	42.7	55.3	60.2
30 +	36	0.0	8.3	16.7	41.7	1,043	7.1	38.6	51.2	56.3
Unknown	5	0.0	0.0	0.0	0.0	184	11.4	51.1	58.2	60.3



B. Waiting List Information

Table B10. Time to transplant for waiting list candidates*

Candidates registered on the waiting list between 01/01/2014 and 06/30/2019

Percentile	Center	Months to Transplant**		U.S.
		OPO/DSA	Region	
5th	2.8	1.8	0.5	0.5
10th	7.0	4.5	1	1
25th	17.3	13.0	3.9	3.2
50th (median time to transplant)	36.7	30.8	15.1	11.6
75th	Not Observed	Not Observed	Not Observed	Not Observed

* If cells contain "Not Observed" fewer than that percentile of patients had received a transplant. For example, the 50th percentile of time to transplant is the time when 50% of candidates have received transplants. If waiting times are long, then the 50th percentile may not be observed during the follow-up period for this table. Also, if more than 50% of candidates are removed from the list due to death or other reasons before receiving transplants, then the 50th percentile of time to transplant will not be observed.

** Censored on 12/31/2019. Calculated as the months after listing, during which the corresponding percent of all patients initially listed had received a transplant.



B. Waiting List Information

Table B11. Offer Acceptance Practices: 01/01/2019 - 12/31/2019

Offers Acceptance Characteristics	This Center	OPO/DSA	Region	U.S.
Overall				
Number of Offers	285	536	1,003	6,101
Number of Acceptances	28	38	128	870
Expected Acceptances	25.2	43.2	113.4	867.6
Offer Acceptance Ratio*	1.10	0.88	1.13	1.00
95% Credible Interval**	[0.74, 1.53]	--	--	--
PHS increased infectious risk				
Number of Offers	92	185	359	2,188
Number of Acceptances	10	12	35	229
Expected Acceptances	7.2	12.2	33.4	228.3
Offer Acceptance Ratio*	1.30	0.98	1.05	1.00
95% Credible Interval**	[0.67, 2.14]	--	--	--
High risk donor				
Number of Offers	109	168	260	907
Number of Acceptances	4	6	28	74
Expected Acceptances	7.1	9.7	22.1	75.1
Offer Acceptance Ratio*	0.66	0.69	1.25	0.99
95% Credible Interval**	[0.24, 1.29]	--	--	--
Donor BMI > 28				
Number of Offers	57	126	240	1,423
Number of Acceptances	5	5	16	121
Expected Acceptances	3.8	7.5	19.0	135.0
Offer Acceptance Ratio*	1.21	0.73	0.86	0.90
95% Credible Interval**	[0.49, 2.26]	--	--	--
Hard-to-Place Donor (Over 10 Offers)				
Number of Offers	187	377	641	2,849
Number of Acceptances	14	15	37	148
Expected Acceptances	9.4	17.9	30.3	148.0
Offer Acceptance Ratio*	1.40	0.85	1.21	1.00
95% Credible Interval**	[0.80, 2.17]	--	--	--
Donor more than 250 miles away				
Number of Offers	225	400	628	2,937
Number of Acceptances	18	20	45	186
Expected Acceptances	13.9	20.9	30.4	193.2
Offer Acceptance Ratio*	1.26	0.96	1.45	0.96
95% Credible Interval**	[0.77, 1.87]	--	--	--

* The offer acceptance ratio estimates the relative offer acceptance practice of University of Minnesota Medical Center, Fairview (MNUM) compared to the national offer acceptance practice. A ratio above one indicates the program is more likely to accept an offer compared to national offer acceptance practices (e.g., an offer acceptance ratio of 1.25 indicates a 25% more likely to accept an offer), while a ratio below one indicates the program is less likely to accept an offer compared to national offer acceptance practices (e.g., an offer acceptance ratio of 0.75 indicates a 25% less likely to accept an offer).

** As an example, the 95% Credible Interval for the overall offer acceptance ratio, [0.74, 1.53], indicates the location of MNUM's true offer acceptance ratio with 95% probability. The best estimate is 10% more likely to accept an offer compared to national acceptance behavior, but MNUM's performance could plausibly range from 26% reduced acceptance up to 53% higher acceptance.



B. Waiting List Information

Figure B10. Offer acceptance: Overall




Figure B11. Offer acceptance: PHS increased infectious risk




Figure B12. Offer acceptance: High risk donor




Figure B13. Offer acceptance: Donor BMI > 28




Figure B14. Offer acceptance: Offer number > 10





Figure B15. Offer acceptance: Donor more than 250 miles away





C. Transplant Information

Table C1D. Deceased donor transplant recipient demographic characteristics
Patients transplanted between 01/01/2019 and 12/31/2019

Characteristic	Percentage in each category		
	Center (N=28)	Region (N=128)	U.S. (N=872)
Ethnicity/Race (%)*			
White	78.6	56.2	49.0
African-American	14.3	22.7	29.1
Hispanic/Latino	0.0	12.5	16.6
Asian	7.1	7.0	4.7
Other	0.0	1.6	0.6
Unknown	0.0	0.0	0.0
Age (%)			
<2 years	0.0	0.0	0.0
2-11 years	0.0	0.0	0.2
12-17	0.0	0.0	0.1
18-34	3.6	14.1	23.2
35-49 years	53.6	43.0	52.3
50-64 years	39.3	41.4	23.7
65-69 years	3.6	1.6	0.5
70+ years	0.0	0.0	0.0
Gender (%)			
Male	85.7	71.9	62.5
Female	14.3	28.1	37.5

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



C. Transplant Information

Table C2D. Deceased donor transplant recipient medical characteristics
Patients transplanted between 01/01/2019 and 12/31/2019

Characteristic	Percentage in each category		
	Center (N=28)	Region (N=128)	U.S. (N=872)
Blood Type (%)			
O	28.6	47.7	48.5
A	39.3	34.4	33.3
B	14.3	11.7	13.5
AB	17.9	6.2	4.7
Previous Transplant (%)			
Yes	7.1	3.1	2.4
No	92.9	96.9	97.6
Peak PRA/CPRA Prior to Transplant (%)			
0-9%	35.7	70.3	72.2
10-79%	60.7	25.8	23.3
80+ %	3.6	3.9	4.5
Unknown	0.0	0.0	0.0
Body Mass Index (%)			
0-20	0.0	3.9	8.8
21-25	32.1	40.6	42.8
26-30	53.6	41.4	37.5
31-35	14.3	10.9	8.8
36-40	0.0	0.0	0.6
41+	0.0	2.3	1.0
Unknown	0.0	0.8	0.5



C. Transplant Information

Table C3D. Deceased donor characteristics
Transplants performed between 01/01/2019 and 12/31/2019

Donor Characteristic	Percentage in each category		
	Center (N=28)	Region (N=128)	U.S. (N=872)
Cause of Death (%)			
Deceased: Stroke	10.7	10.2	10.2
Deceased: MVA	25.0	25.0	21.8
Deceased: Other	64.3	64.8	68.0
Ethnicity/Race (%)*			
White	67.9	60.9	58.7
African-American	17.9	21.1	19.6
Hispanic/Latino	10.7	14.1	17.0
Asian	3.6	3.9	3.6
Other	0.0	0.0	1.1
Not Reported	0.0	0.0	0.0
Age (%)			
<2 years	0.0	0.0	0.1
2-11 years	7.1	5.5	3.1
12-17	21.4	16.4	15.6
18-34	64.3	60.9	68.0
35-49 years	7.1	17.2	13.1
50-64 years	0.0	0.0	0.1
65-69 years	0.0	0.0	0.0
70+ years	0.0	0.0	0.0
Gender (%)			
Male	75.0	65.6	70.0
Female	25.0	34.4	30.0
Blood Type (%)			
O	28.6	47.7	48.6
A	46.4	37.5	36.2
B	14.3	11.7	13.5
AB	10.7	3.1	1.6
Unknown	0.0	0.0	0.0

* Race and ethnicity are reported together as a single data element, reflecting their data collection (either race or ethnicity is required, but not both). Patients formerly coded as white and Hispanic are coded as Hispanic. Race and ethnicity sum to 100%.



C. Transplant Information

Table C4D. Deceased donor transplant characteristics
Transplants performed between 01/01/2019 and 12/31/2019

Transplant Characteristic	Percentage in each category		
	Center (N=28)	Region (N=128)	U.S. (N=872)
Cold Ischemic Time (Hours): Local (%)			
Deceased: 0-11 hr	70.0	71.8	76.0
Deceased: 12-21 hr	30.0	28.2	22.8
Deceased: 22-31 hr	0.0	0.0	0.0
Deceased: 32-41 hr	0.0	0.0	0.0
Deceased: 42+ hr	0.0	0.0	0.0
Not Reported	0.0	0.0	1.2
Cold Ischemic Time (Hours): Shared (%)			
Deceased: 0-11 hr	22.2	18.0	45.5
Deceased: 12-21 hr	77.8	74.0	50.0
Deceased: 22-31 hr	0.0	8.0	3.7
Deceased: 32-41 hr	0.0	0.0	0.4
Deceased: 42+ hr	0.0	0.0	0.4
Not Reported	0.0	0.0	0.0
Level of Mismatch (%)			
A Locus Mismatches (%)			
0	3.6	4.7	7.3
1	39.3	35.2	39.1
2	57.1	60.2	53.6
Not Reported	0.0	0.0	0.0
B Locus Mismatches (%)			
0	7.1	1.6	2.8
1	17.9	21.1	24.9
2	75.0	77.3	72.4
Not Reported	0.0	0.0	0.0
DR Locus Mismatches (%)			
0	3.6	3.9	5.2
1	42.9	41.4	43.1
2	53.6	54.7	51.7
Not Reported	0.0	0.0	0.0
Total Mismatches (%)			
0	3.6	0.8	0.5
1	0.0	0.0	0.8
2	3.6	2.3	3.1
3	3.6	8.6	10.2
4	17.9	18.8	26.5
5	46.4	40.6	34.9
6	25.0	28.9	24.1
Not Reported	0.0	0.0	0.0
Dialysis in First Week After Transplant (%)			
Yes	3.6	8.6	9.1
No	96.4	91.4	90.8
Not Reported	0.0	0.0	0.1
Sharing (%)			
Local	35.7	60.9	69.3
Shared	64.3	39.1	30.7
Median Time in Hospital After Transplant*	7.0 Days	7.0 Days	8.0 Days

* Kidney-pancreas transplants only. Other multiple organ transplants are excluded from this statistic.



C. Transplant Information

**Table C5DKI. Adult (18+) 1-month survival with a functioning deceased donor kidney graft
Simultaneous pancreas-kidney transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures**

	MNUM	U.S.
Number of transplants evaluated	67	2,048
Estimated probability of surviving with a functioning graft at 1 month (unadjusted for patient and donor characteristics)	100.00%	99.12%
Expected probability of surviving with a functioning graft at 1 month (adjusted for patient and donor characteristics)	99.08%	--
Number of observed graft failures (including deaths) during the first month after transplant	0	18
Number of expected graft failures (including deaths) during the first month after transplant	0.62	18
Estimated hazard ratio*	0.76	1.00
95% credible interval for the hazard ratio**	[0.09, 2.13]	--

* The hazard ratio provides an estimate of how University of Minnesota Medical Center, Fairview (MNUM)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If MNUM's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.09, 2.13], indicates the location of MNUM's true hazard ratio with 95% probability. The best estimate is 24% lower risk of kidney graft failure compared to an average program, but MNUM's performance could plausibly range from 91% reduced risk up to 113% increased risk.

Figure C1DKI. Adult (18+) 1-month deceased donor kidney graft failure HR estimate





Figure C2DKI. Adult (18+) 1-month deceased donor kidney graft failure HR program comparison





C. Transplant Information

**Table C6DKI. Adult (18+) 1-year survival with a functioning deceased donor kidney graft
Simultaneous pancreas-kidney transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures**

	MNUM	U.S.
Number of transplants evaluated	67	2,048
Estimated probability of surviving with a functioning graft at 1 year (unadjusted for patient and donor characteristics)	96.46%	96.76%
Expected probability of surviving with a functioning graft at 1 year (adjusted for patient and donor characteristics)	96.62%	--
Number of observed graft failures (including deaths) during the first year after transplant	2	62
Number of expected graft failures (including deaths) during the first year after transplant	2.11	62
Estimated hazard ratio*	0.97	1.00
95% credible interval for the hazard ratio**	[0.26, 2.13]	--

* The hazard ratio provides an estimate of how University of Minnesota Medical Center, Fairview (MNUM)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If MNUM's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.26, 2.13], indicates the location of MNUM's true hazard ratio with 95% probability. The best estimate is 3% lower risk of kidney graft failure compared to an average program, but MNUM's performance could plausibly range from 74% reduced risk up to 113% increased risk.

Figure C3DKI. Adult (18+) 1-year deceased donor kidney graft failure HR estimate





Figure C4DKI. Adult (18+) 1-year deceased donor kidney graft failure HR program comparison





C. Transplant Information

**Table C7DKI. Adult (18+) 3-year survival with a functioning deceased donor kidney graft
Simultaneous pancreas-kidney transplants performed between 07/01/2014 and 12/31/2016
Deaths and retransplants are considered graft failures**

	MNUM	U.S.
Number of transplants evaluated	50	1,861
Estimated probability of surviving with a functioning graft at 3 years (unadjusted for patient and donor characteristics)	98.00%	91.78%
Expected probability of surviving with a functioning graft at 3 years (adjusted for patient and donor characteristics)	91.80%	--
Number of observed graft failures (including deaths) during the first 3 years after transplant	1	153
Number of expected graft failures (including deaths) during the first 3 years after transplant	4.27	153
Estimated hazard ratio*	0.48	1.00
95% credible interval for the hazard ratio**	[0.10, 1.15]	--

* The hazard ratio provides an estimate of how University of Minnesota Medical Center, Fairview (MNUM)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected graft failure rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected graft failure rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If MNUM's graft failure rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.10, 1.15], indicates the location of MNUM's true hazard ratio with 95% probability. The best estimate is 52% lower risk of kidney graft failure compared to an average program, but MNUM's performance could plausibly range from 90% reduced risk up to 15% increased risk.

Figure C5DKI. Adult (18+) 3-year deceased donor kidney graft failure HR estimate





Figure C6DKI. Adult (18+) 3-year deceased donor kidney graft failure HR program comparison





C. Transplant Information

**Table C8DKI. Pediatric (<18) 1-month survival with a functioning deceased donor kidney graft
Simultaneous pancreas-kidney transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures**

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

**Figure C7DKI. Pediatric (<18)
1-month deceased donor kidney
graft failure HR estimate**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

**Figure C8DKI. Pediatric (<18) 1-month deceased donor kidney
graft failure HR program comparison**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

**Table C9DKI. Pediatric (<18) 1-year survival with a functioning deceased donor kidney graft
Simultaneous pancreas-kidney transplants performed between 01/01/2017 and 06/30/2019
Deaths and retransplants are considered graft failures**

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

**Figure C9DKI. Pediatric (<18)
1-year deceased donor kidney
graft failure HR estimate**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

**Figure C10DKI. Pediatric (<18) 1-year deceased donor kidney
graft failure HR program comparison**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

**Table C10DKI. Pediatric (<18) 3-year survival with a functioning deceased donor kidney graft
Simultaneous pancreas-kidney transplants performed between 07/01/2014 and 12/31/2016
Deaths and retransplants are considered graft failures**

This center did not perform any
transplants relevant to
this table during
07/01/2014-12/31/2016

**Figure C11DKI. Pediatric (<18)
3-year deceased donor kidney
graft failure HR estimate**

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016

**Figure C12DKI. Pediatric (<18) 3-year deceased donor kidney
graft failure HR program comparison**

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016



C. Transplant Information

Table C11D. Adult (18+) 1-month patient survival (deceased donor graft recipients)
Simultaneous pancreas-kidney transplants performed between 01/01/2017 and 06/30/2019
Retransplants excluded

	MNUM	U.S.
Number of transplants evaluated	66	2,026
Estimated probability of surviving at 1 month (unadjusted for patient and donor characteristics)	100.00%	99.56%
Expected probability of surviving at 1 month (adjusted for patient and donor characteristics)	99.47%	--
Number of observed deaths during the first month after transplant	0	9
Number of expected deaths during the first month after transplant	0.35	9
Estimated hazard ratio*	0.85	1.00
95% credible interval for the hazard ratio**	[0.10, 2.37]	--

* The hazard ratio provides an estimate of how University of Minnesota Medical Center, Fairview (MNUM)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If MNUM's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.10, 2.37], indicates the location of MNUM's true hazard ratio with 95% probability. The best estimate is 15% lower risk of patient death compared to an average program, but MNUM's performance could plausibly range from 90% reduced risk up to 137% increased risk.

Figure C13D. Adult (18+) 1-month patient death HR estimate (deceased donor grafts)





Figure C14D. Adult (18+) 1-month patient death HR program comparison (deceased donor grafts)





C. Transplant Information

Table C12D. Adult (18+) 1-year patient survival (deceased donor graft recipients)
Simultaneous pancreas-kidney transplants performed between 01/01/2017 and 06/30/2019
Retransplants excluded

	MNUM	U.S.
Number of transplants evaluated	66	2,026
Estimated probability of surviving at 1 year (unadjusted for patient and donor characteristics)	95.83%	98.01%
Expected probability of surviving at 1 year (adjusted for patient and donor characteristics)	97.62%	--
Number of observed deaths during the first year after transplant	2	37
Number of expected deaths during the first year after transplant	1.39	37
Estimated hazard ratio*	1.18	1.00
95% credible interval for the hazard ratio**	[0.32, 2.58]	--

* The hazard ratio provides an estimate of how University of Minnesota Medical Center, Fairview (MNUM)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If MNUM's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.32, 2.58], indicates the location of MNUM's true hazard ratio with 95% probability. The best estimate is 18% higher risk of patient death compared to an average program, but MNUM's performance could plausibly range from 68% reduced risk up to 158% increased risk.

Figure C15D. Adult (18+) 1-year patient death HR estimate (deceased donor grafts)





Figure C16D. Adult (18+) 1-year patient death HR program comparison (deceased donor grafts)





C. Transplant Information

Table C13D. Adult (18+) 3-year patient survival (deceased donor graft recipients)
Simultaneous pancreas-kidney transplants performed between 07/01/2014 and 12/31/2016
Retransplants excluded

	MNUM	U.S.
Number of transplants evaluated	46	1,833
Estimated probability of surviving at 3 years (unadjusted for patient and donor characteristics)	100.00%	95.31%
Expected probability of surviving at 3 years (adjusted for patient and donor characteristics)	94.19%	--
Number of observed deaths during the first 3 years after transplant	0	86
Number of expected deaths during the first 3 years after transplant	2.78	86
Estimated hazard ratio*	0.42	1.00
95% credible interval for the hazard ratio**	[0.05, 1.17]	--

* The hazard ratio provides an estimate of how University of Minnesota Medical Center, Fairview (MNUM)'s results compare with what was expected based on modeling the transplant outcomes from all U.S. programs. A ratio above 1 indicates higher than expected patient death rates (e.g., a hazard ratio of 1.5 would indicate 50% higher risk), and a ratio below 1 indicates lower than expected patient death rates (e.g., a hazard ratio of 0.75 would indicate 25% lower risk). If MNUM's patient death rate were precisely the expected rate, the estimated hazard ratio would be 1.0.

** The 95% credible interval, [0.05, 1.17], indicates the location of MNUM's true hazard ratio with 95% probability. The best estimate is 58% lower risk of patient death compared to an average program, but MNUM's performance could plausibly range from 95% reduced risk up to 17% increased risk.

Figure C17D. Adult (18+) 3-year patient death HR estimate (deceased donor grafts)





Figure C18D. Adult (18+) 3-year patient death HR program comparison (deceased donor grafts)





C. Transplant Information

**Table C14D. Pediatric (<18) 1-month patient survival (deceased donor graft recipients)
Simultaneous pancreas-kidney transplants performed between 01/01/2017 and 06/30/2019
Retransplants excluded**

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

**Figure C19D. Pediatric (<18)
1-month patient death HR
estimate (deceased donor grafts)**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

**Figure C20D. Pediatric (<18) 1-month patient death HR
program comparison (deceased donor grafts)**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

**Table C15D. Pediatric (<18) 1-year patient survival (deceased donor graft recipients)
Simultaneous pancreas-kidney transplants performed between 01/01/2017 and 06/30/2019
Retransplants excluded**

This center did not perform any
transplants relevant to
this table during
01/01/2017-06/30/2019

**Figure C21D. Pediatric (<18)
1-year patient death HR estimate
(deceased donor grafts)**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019

**Figure C22D. Pediatric (<18) 1-year patient death HR program
comparison (deceased donor grafts)**

This center did not perform any
transplants relevant to
this figure during
01/01/2017-06/30/2019



C. Transplant Information

**Table C16D. Pediatric (<18) 3-year patient survival (deceased donor graft recipients)
Simultaneous pancreas-kidney transplants performed between 07/01/2014 and 12/31/2016
Retransplants excluded**

This center did not perform any
transplants relevant to
this table during
07/01/2014-12/31/2016

**Figure C23D. Pediatric (<18)
3-year patient death HR estimate
(deceased donor grafts)**

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016

**Figure C24D. Pediatric (<18) 3-year patient death HR program
comparison (deceased donor grafts)**

This center did not perform any
transplants relevant to
this figure during
07/01/2014-12/31/2016